



**United States
Department of
Agriculture**

Agricultural
Marketing
Service

TOB-FL-24


Washington D.C.
April 1981

Tobacco Market Review

Flue-Cured, 1980 Crop

Flue-Cured Tobacco Auction Markets and Marketing Areas

1980 Season



Flue-cured auction markets were grouped into broad marketing areas by the Flue-Cured Tobacco Advisory Committee. Buyers and inspectors were assigned to marketing areas based on designations by growers.

CONTENTS

	<u>Page</u>
Review of marketing season	4
Warehouse charges	5
Average basket weight	5
Receipts under government loan program	5
Allotted sales opportunities	6
Initial and final designations	7
Opening and closing dates	8-9
Producers' sales by types	10
Gross sales and resales by types	10-11
Across-state-line sales	11
Producers' sales by markets	12-13
Gross sales by markets	14-15
Resales by markets	16-17
Rank of auction markets	18
Season prices and schedule of loan rates by grades	19-21
Weekly and season prices by grades, type 11	22-23
Weekly and season prices by grades, type 12	24-25
Weekly and season prices by grades, type 13	26-27
Weekly and season prices by grades, type 14	28
Brief of flue-cured tobacco grades	29
Composition of crop	30-31
Percentage distribution of grades by types	32-33
Percentage distribution of marketing by maturity	33
Percentage distribution, all flue-cured	34-35
Average prices by grade group and type	35

The statistics on sales and markets in this review were compiled from reports and records of the State Departments of Agriculture of Florida, Georgia, South Carolina, North Carolina, and Virginia; and from data furnished by marketing recorders employed through county ASCS offices; and from information received direct from markets and trade sources. The statistics on prices by grades were based on compilation of data recorded from warehouse sales tickets from representative markets in the flue-cured area.

Review of the 1980 flue-cured marketing season

Net value of \$1,564.7 million

Grade prices generally higher

Volume increased

Quality down from 1979

Loan receipts up sharply

Expectations of a banner flue-cured tobacco crop for 1980 melted quickly as near drought conditions spread throughout the entire production area.

Scattered showers, mainly in eastern North Carolina, brought only temporary relief as the needed general rains never came. These unfavorable conditions caused most areas to fall short of their production potential. Also, over half the tobacco that was produced graded in immature to unripe colors. While overall volume and value were up, the 1980 crop still has to be considered disappointing. Demand was good, especially on the small amount of good quality, ripe tobacco produced. Late in the season, large supplies of unripe leaf tobacco resulted in lower prices and increased stabilization receipts. Blue mold disease continued to cause losses in 1980 but was not nearly as damaging as in 1979. A backlog of tobacco on warehouse floors resulted in a marketing holiday for the three-day week of October 14 - 16. This was the first time sales were suspended since the inception of the designation program in 1974.

Sales and averages. Producers received an average price of \$144.52 per hundreded pounds for the 1980 crop - an increase of \$4.50 from 1979. Net sales at auction of 1,082.7 million pounds were up 14.8 percent from last season. Net value of \$1,564.7 million gained 17.2 percent from the 1979 return.

Grade averages. Most individual grade averages showed gains of \$11 to \$20 per hundred over 1979 levels. This pattern was consistent throughout the leaf, smoking leaf, cutter and lug groups. Primings and nondescript, however, were a different story. Better primings were up generally \$6 to \$10 with lower quality primings (mainly nonsupported grades) down \$2 to \$6 per hundred. Nondescript offerings, both with and without support, recorded losses of mostly \$5 to \$9 per hundred pounds. The practical top price in 1980 was \$175 in the Georgia-Florida area and \$180 per hundred in the other belts.

Composition of offerings. Quality of offerings was definitely lower than the 1979 crop. Only 6 percent of all sales graded good quality or better in 1980; fair quality dropped to 42 percent; low increased to 30 percent; and poor quality was up to 9 percent of sales. Also, the proportion of nondescript tobacco increased while leaf grades declined. Upper stalk grades accounted for just over 60 percent of the crop, lugs 18 percent, primings 8 percent, and nondescript 11 percent. Poor maturity was another major quality factor in 1980. Only 37 percent of all offerings were placed in mature to mellow grades while over 50 percent were judged immature to unripe. The three heaviest volume grades and their percentages were: B5KF (7.0); B4KM (5.4); and B4KF (4.2). Completing the top ten grades were: B6KF (3.4); B5KM (3.3); B4F

(3.2); B5K (3.2); B5KV (3.1); N2 (3.1); and X4F (2.9). These ten grades accounted for 38.8 percent of total flue-cured sales in 1980.

Stabilization receipts. Poundage placed under loan nearly doubled in 1980. A total of 137.2 million pounds was delivered to the Flue-Cured Stabilization Corporation compared to 69.8 million in 1979. While the bulk of Cooperative receipts came from the lug and leaf groups, there were also sizable amounts of primings and nondescript tobacco placed under loan. A breakdown of receipts by groups follow:

Group	1980---Percent---1979
Leaf (B)	66.8
Smoking Leaf (H)	0.2
Cutters (C)	3.7
Lugs (X)	23.7
Primings (P)	1.9
Nondescript (N)	3.7

Loan rates. Loan rates by grades for the 1980 crop reflected an average support level of \$1.415 per pound, 12.2 cents above the 1979 level. Support was withdrawn from eight grades this season because they were in excess supply and had a light demand. Those grades were: P5L; P5F; P5G; N1L; N1XL; N1GL; N1XO; and NIPO. Eligible growers were required to certify they had not used DDT or TDE insecticides on their crops. Random samplings were conducted by the Agricultural Stabilization and Conservation Service to check for compliance.

Marketing regulations. Auctions are operated under the grower designation plan. Basic provisions of the plan are: growers can designate their quota to individual warehouses, within a 100 mile radius of the county seat of the county in which the farm is located, and receive price support (sales outside a grower's radius are not eligible for price support); designations can be changed during the season at specified intervals or at any time in certain cases; a Flue-Cured Tobacco Advisory Committee advises the Secretary of Agriculture on marketing conditions and recommends adjustments during the season. The plan is designed to allow growers the opportunity to sell tobacco at the warehouse of their choice in their marketing area.

Preliminary 1981 quota. 1/ The basic quota for 1981 has been reduced 7.5 percent, but added net under marketing makes the effective quota about 1,112 million pounds. This is 6 percent below last year's crop. The changes from last year's effective quota range from an increase of 6 percent in Virginia to a decrease of 16 percent in the Eastern North Carolina Belt.

1/ From USDA, Economics and Statistics Service.

Table 1--Auction sales warehouse charges on flue-cured markets, 1980 crop

State	Type	Auction fee 1/	Commission on gross sales 1/	Additional charges
			<u>Percent</u>	
Florida	14	15 cents on all piles	2-1/2	Weighing and handling 10 cents per pile on all piles of 100 pounds or less
Georgia	14	of 100 pounds or less	2-1/2	and 25 cents on all
North Carolina	11-13	and 25 cents on all	2-1/2	100 pounds or less, and
South Carolina	13	piles over 100 pounds	2-1/2	10 cents for each additional 100 pounds.
Virginia	11	25 cents per pile	2-1/2	Weighing, 10 cents per 100 pounds.

1/ Maximum permitted under state law.

Table 2--Average weight per lot of flue-cured tobacco, 1975 to 1980

Crop	Type 11	Type 12	Type 13	Type 14	Type 11 - 14
	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>
1975	174	179	184	189	180
1976	178	179	180	189	180
1977	178	175	174	184	177
1978	180	182	183	188	182
1979	185	183	181	186	184
1980	179	178	181	185	180

Table 3--Flue-cured tobacco received by the Stabilization Corporation and percentage of net auction sales, 1978-1980 crops 1/

Crop	Type 11		Type 12		Type 13	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	<u>1,000 lbs.</u>	<u>Percent</u>	<u>1,000 lbs.</u>	<u>Percent</u>	<u>1,000 lbs.</u>	<u>Percent</u>
1978	25,722	7.0	24,742	5.7	9,155	3.6
1979	25,122	8.5	25,730	8.0	12,343	6.2
1980	45,205	15.0	45,861	10.8	30,025	13.4

Crop	Type 14		Types 11-14	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	<u>1,000 lbs.</u>	<u>Percent</u>	<u>1,000 lbs.</u>	<u>Percent</u>
1978	3,972	2.7	63,591	5.3
1979	6,629	5.3	69,824	7.4
1980	16,138	12.2	137,229	12.7

Table 4--Allotted sales opportunities compared to producers' sales, 1980 crop 1/

Week ending	Marketing area A		Marketing area B		Marketing area C		Marketing area D 5/		Marketing area E 5/		Total flue-cured		
	Sets of Sales buyers	Prod. opport.	Sets of Sales buyers	Prod. opport.	Sets of Sales buyers	Prod. opport.	Sets of Sales buyers	Prod. opport.	Sets of Sales buyers	Prod. opport.	Sets of Sales Prod. 3/ buyers	Sets of Sales Prod. 3/ buyers export. sales	
----- Thousands of pounds -----													
July 24	16	24,198	15,245	---	---	---	---	---	---	---	16	24,198	
July 31	16	24,288	13,833	21	32,734	15,038	26	29,394	21,845	---	63	86,416	
Aug. 07	16	24,263	17,089	21	32,736	17,555	26	39,194	30,787	3	4,946	3,290	
Aug. 14	8	10,980	10,365	14	18,931	18,199	26	35,186	34,473	4	5,182	4,032	
Aug. 21	8	11,609	11,510	14	19,898	19,631	26	36,954	36,608	4	5,161	4,887	
Aug. 28	8	11,208	11,064	14	19,201	18,926	26	35,774	35,414	4	4,996	4,896	
Sep. 04	8	8,334	8,453	14	14,397	14,321	26	26,824	26,916	4	3,667	3,630	
Sep. 11	8	10,626	10,666	14	18,119	18,195	26	33,737	33,748	4	4,390	4,342	
Sep. 18	8	9,380	9,541	14	16,177	16,315	26	30,195	30,270	4	4,252	4,275	
Sep. 25	8	11,078	9,697	14	18,096	18,175	26	33,767	33,803	4	4,446	4,441	
Oct. 02	7	10,500	4/	9,476	14	18,064	17,788	26	33,795	33,658	4	4,418	4,360
Oct. 09	1	4,213	4/	5,088	14	19,576	19,287	26	36,548	36,429	4	5,178	5,143
Oct. 23	Closed			14	20,512	18,176	28	38,567	38,323	4	5,602	5,154	
Oct. 30	---			14	21,934	4/ 12,165	28	38,546	38,064	4	5,610	3,467	
Nov. 06	---			1	748	4/ 748	28	45,808	33,913	1	6,544	1,936	
Nov. 13	—				Closed		22	34,356	7,458	1	4,908	101	
Nov. 20	—				—		3	775	4/	775	Closed	8	
Closed Oct. 9, 1980		Closed Nov. 4, 1980		Closed Nov. 17, 1980		Closed Nov. 10, 1980		Closed Nov. 13, 1980					

1/ Based on grower designations. Sales scheduled by Tobacco Division, AMS, USDA, as recommended by the Flue-cured Tobacco Advisory Committee.

2/ Clean-up sales.

3/ Derived from weekly market news reports. Sales limited to 76,000 pounds per hour, per set of buyers; basket weight limit 250 pounds.

4/ Close-out for area. Sales opportunity was not predetermined, but limited to 450,000 pounds per day per set of buyers.

5/ Areas D and E shared 1 set of buyers from week of August 10 through week ending October 9. This set is counted in both areas in this table.

Table 5--Initial and final designation of the 1980 flue-cured crops 1/

Marketing area "A"			Marketing area "C"		
Market	Initial	Final	Market	Initial	Final
Georgia:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Adel	5,078,320	4,996,356	Aberdeen	7,113,630	7,223,116
Alma	6,805,781	7,112,468	Ahoskie	9,686,168	9,594,062
Baxley	7,093,661	6,524,527	Carthage	10,776,368	11,080,062
Blackshear	9,963,667	10,555,199	Clinton	21,179,157	21,886,288
Claxton	6,244,330	6,387,084	Dunn	14,059,585	14,309,089
Douglas	13,275,668	13,882,794	Farmville	34,657,079	35,086,981
Fitzgerald	5,023,045	4,873,100	Fuquay-Varina	23,567,439	24,454,056
Hahira	4,048,351	4,783,335	Goldsboro	37,849,676	39,808,363
Hazlehurst	4,029,062	4,125,001	Greenville	51,818,616	53,051,639
Metter	4,236,115	3,749,352	Kinston	48,557,868	50,026,032
Moultrie	15,546,095	15,843,991	Robersonville	9,329,133	9,255,860
Nashville	10,449,339	10,580,455	Rocky Mount	36,165,374	34,493,869
Pelham	5,229,794	4,804,380	Sanford	12,959,658	12,722,408
Statesboro	5,800,141	5,385,445	Smithfield	26,300,085	26,936,668
Thomasville	2,855,525	2,957,134	Tarboro	3,934,211	4,115,919
Tifton	7,129,635	7,033,223	Wallace	12,649,196	12,896,188
Valdosta	9,149,807	8,652,146	Washington	9,133,034	9,260,961
Vidalia	9,676,791	9,903,070	Wendell	13,348,663	13,320,857
Waycross	4,272,757	4,084,989	Williamston	14,432,547	15,114,632
Total Georgia	135,907,884	136,234,049	Wilson	95,917,643	97,311,523
Florida:			Windsor	12,470,979	13,045,325
High Springs	3,343,249	3,284,298	Total area "C"	505,906,109	514,993,898
Jasper	2,080,891	1,977,153	Marketing area "D"		
Lake City	4,812,281	4,873,128	North Carolina:		
Live Oak	10,392,597	10,754,274	Durham	15,787,351	16,829,973
Madison	1,820,824	1,746,398	Henderson	17,241,221	17,200,146
Total Florida	22,449,842	22,635,251	Louisburg	8,922,292	9,248,516
Total area "A"	158,357,726	158,869,300	Oxford	17,354,483	17,504,054
			Warrenton	8,885,100	8,939,294
			Total area "D"	68,190,447	69,721,983
			Marketing area "E"		
			North Carolina:		
			Burlington	5,132,704	4,495,607
			Greensboro	2,790,756	1,970,240
			Madison	6,803,200	6,989,409
			Mebane	6,718,229	6,559,061
			Mt. Airy	14,914,060	15,463,255
			Reidsville	20,655,808	21,150,365
			Roxboro	18,594,404	18,542,969
			Stoneville	11,169,592	11,673,028
			Winston-Salem	53,504,808	53,414,017
			Yadkinville	6,077,934	7,523,250
			Total N.C.	146,361,495	147,781,201
			Virginia:		
			Brookneal	8,909,806	8,991,000
			Chase City	6,539,775	6,786,638
			Clarksville	7,996,026	8,264,672
			Danville	50,527,862	51,424,492
			Kenbridge	4,638,909	4,802,507
			Lawrenceville	8,443,062	8,711,767
			Martinsville	3,328,077	2,801,413
			Petersburg	4,664,568	5,046,241
			South Boston	20,340,081	20,735,989
			South Hill	9,879,354	10,203,759
			Total Virginia	125,267,520	127,768,478
			Total area "E"	271,629,015	275,549,679
			Total flue-cured	1,276,081,939	1,293,151,087

1/ Growers allowed to designate 110 percent of their effective quota.

Table 6--Opening and closing dates of marketing season; warehouse firms selling flue-cured tobacco at auction in the United States by types, states, and markets, 1980 and 1979 crops

States and markets	Type 11 - Old and Middle Belt flue-cured							
	1980				1979			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
Virginia:			<u>Number</u>	<u>Number</u>			<u>Number</u>	<u>Number</u>
Brookneal	Aug. 11	Nov. 10	25	4	Aug. 7	Nov. 6	27	4
Chase City	Aug. 11	Nov. 12	20	4	Aug. 7	Nov. 5	20	4
Clarksville	Aug. 12	Nov. 12	23	3	Aug. 8	Nov. 5	20	3
Danville	Aug. 11	Nov. 12 <u>2/</u>	49	8	Aug. 7	Oct. 31 <u>1/</u>	48	8
Kenbridge	Aug. 13	Nov. 13	15	3	Aug. 8	Nov. 1	16	4
Lawrenceville	Aug. 12	Nov. 5	22	2	Aug. 8	Oct. 30	22	2
Martinsville	Aug. 13	Nov. 3	9	1	Aug. 8	Oct. 29	18	2
Petersburg	Aug. 12	Nov. 10	15	2	Aug. 9	Oct. 31	14	2
South Boston	Aug. 11	Nov. 12	48	6	Aug. 7	Nov. 7	49	6
South Hill	Aug. 11	Nov. 12	25	4	Aug. 7	Nov. 1	26	4
Total			37				39	
North Carolina:								
Aberdeen	July 30	Nov. 5	22	2	July 24	Oct. 11	20	3
Burlington	Aug. 12	Nov. 3	12	2	Aug. 8	Oct. 22	15	3
Carthage	July 29	Nov. 6	32	4	July 25	Oct. 11	27	4
Durham	Aug. 4	Nov. 3	41	4	July 31	Oct. 24	41	5
Fuquay-Varina	July 29	Nov. 6	54	6	July 24	Oct. 15	46	6
Greensboro	Aug. 13	Oct. 30	7	1	Aug. 9	Oct. 18	15	2
Henderson	Aug. 4	Nov. 5	45	6	July 31	Oct. 25	44	6
Louisburg	Aug. 5	Nov. 10	27	3	July 31	Oct. 23	22	3
Madison	Aug. 13	Nov. 10	19	3	Aug. 8	Oct. 30	21	4
Mebane	Aug. 11	Oct. 28	16	1	Aug. 7	Oct. 23	19	1
Mt. Airy	Aug. 11	Nov. 4 <u>2/</u>	38	4	Aug. 7	Oct. 29	33	5
Oxford	Aug. 4	Nov. 5	44	6	July 31	Oct. 30	41	6
Reidsville	Aug. 11	Nov. 10	48	4	Aug. 7	Oct. 29	45	4
Roxboro	Aug. 11	Nov. 6	45	6	Aug. 7	Oct. 25	36	6
Sanford	July 29	Nov. 5	40	4	July 25	Oct. 15	32	4
Stoneville	Aug. 11	Nov. 10	29	2	Aug. 7	Oct. 30	36	2
Warrenton	Aug. 6	Nov. 4	24	6	Aug. 1	Oct. 25	21	6
Winston-Salem	Aug. 11	Nov. 6 <u>2/</u>	48	8	Aug. 7	Oct. 29 <u>1/</u>	45	8
Yadkinville	Aug. 12	Nov. 6 <u>2/</u>	20	4	Aug. 8	Oct. 17	18	4
Total			76				82	
Total type 11			113				121	

Type 12 - Eastern North Carolina flue-cured								
North Carolina:	July 30	Nov. 13	30	2	July 25	Oct. 23	24	2
Ahoskie	July 29	Nov. 10	55	6	July 24	Oct. 11	43	6
Clinton	July 29	Nov. 5	38	4	July 24	Oct. 10	36	5
Dunn	July 29	Nov. 12	56	7	July 24	Oct. 11	45	7
Farmville	July 29	Nov. 12	56	8	July 24	Oct. 11	45	8
Goldsboro	July 29	Nov. 13	57	10	July 24	Oct. 11	44	10
Greenville	July 29	Nov. 10	55	7	July 24	Oct. 11	45	7
Kinston	July 30	Nov. 12	28	2	July 24	Oct. 10	19	2
Robersonville	July 29	Nov. 13	57	7	July 24	Oct. 22	50	7
Rocky Mount	July 29	Nov. 12	56	6	July 24	Oct. 10	44	6
Smithfield	July 29	Nov. 5	14	2	July 25	Oct. 16	14	3
Tarboro	July 29	Nov. 10	36	4	July 24	Oct. 4	32	4
Wallace	July 29	Nov. 13	28	3	July 25	Oct. 11	22	3
Washington	July 29	Nov. 10	41	6	July 24	Oct. 11	29	6
Wendell	July 29	Nov. 12	43	3	July 24	Oct. 11	26	3
Williamston	July 29	Nov. 17	58	11	July 24	Oct. 22	49	11
Wilson	July 29	Nov. 6	38	2	July 24	Oct. 16	26	2
Total type 12			90				92	

See footnotes at end of table.

Table 6--Opening and closing dates of marketing season; warehouse firms selling flue-cured tobacco at auction in the United States by types, states, and markets, 1980 and 1979 crops--continued

Type 13 - South Carolina and Border North Carolina flue-cured								
States and markets	1980				1979			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
			Number	Number			Number	Number
South Carolina:								
Conway	July 28	Oct. 29	34	4	July 18	Sep. 27	29	4
Darlington	July 28	Oct. 27	26	4	July 18	Sep. 25	21	4
Dillon	July 30	Oct. 28	13	2	July 19	Oct. 1	10	2
Hemingway	July 28	Oct. 28	27	3	July 19	Sep. 25	18	2
Kingstree	July 28	Oct. 27	30	4	July 18	Sep. 27	22	4
Lake City	July 28	Oct. 28	49	8	July 18	Oct. 2	42	8
Loris	July 28	Oct. 28	26	3	July 18	Sep. 26	23	3
Mullins	July 28	Oct. 30	51	8	July 18	Sep. 27	41	7
Pamplico	July 29	Oct. 23	18	3	July 19	Sep. 26	15	3
Timmonsville	July 28	Oct. 29	34	3	July 18	Sep. 27	23	3
Total			42				40	
North Carolina:								
Chadbourn	July 28	Nov. 4	46	4	July 18	Oct. 1	38	4
Clarkton	July 29	Nov. 3	17	3	July 19	Oct. 4	16	3
Fair Bluff	July 29	Oct. 27	19	4	July 18	Sep. 25	18	4
Fairmont	July 28	Nov. 3	52	10	July 18	Oct. 4	45	9
Lumberton	July 28	Oct. 30	50	8	July 18	Oct. 4	45	8
Tabor City	July 28	Nov. 3	43	3	July 18	Oct. 2	34	3
Whiteville	July 28	Nov. 3	50	8	July 18	Oct. 2	42	8
Total			40				39	
Total type 13			82				79	
Type 14 - Georgia and Florida flue-cured								
Georgia:								
Adel	July 21	Sep. 29	14	2	July 18	Sep. 18	16	2
Alma	July 21	Oct. 7	20	2	July 18	Sep. 11	14	2
Baxley	July 21	Oct. 6	21	3	July 18	Sep. 19	12	3
Blackshear	July 21	Oct. 8	29	3	July 19	Sep. 13	20	3
Claxton	July 22	Sep. 29	18	1	July 18	Sep. 17	17	2
Douglas	July 21	Oct. 8	37	4	July 18	Sep. 24	30	4
Fitzgerald	July 22	Oct. 7	15	1	July 19	Sep. 20	12	1
Hahira	July 22	Sep. 23	12	1	July 19	Sep. 12	11	1
Hazlehurst	July 21	Oct. 7	15	2	July 19	Sep. 17	12	2
Metter	July 22	Oct. 8	14	1	July 19	Sep. 20	11	1
Moultrie	July 21	Oct. 9	39	3	July 18	Sep. 20	32	3
Nashville	July 21	Oct. 7	29	3	July 18	Sep. 20	25	3
Pelham	July 22	Sep. 29	14	1	July 18	Sep. 17	18	1
Statesboro	July 21	Oct. 7	18	2	July 18	Sep. 19	16	2
Thomasville	July 22	Oct. 6	8	1	July 19	Sep. 18	8	1
Tifton	July 21	Oct. 8	20	3	July 18	Sep. 20	22	3
Valdosta	July 21	Oct. 1	24	2	July 18	Sep. 20	27	3
Vidalia	July 21	Oct. 8	29	3	July 18	Sep. 25	25	3
Waycross	July 21	Oct. 1	12	2	July 25	Sep. 4	7	2
Total			40				42	
Florida:								
High Springs	July 22	Sep. 23	8	1	July 19	Sep. 18	12	1
Jasper	July 24	Sep. 18	5	1	July 23	Sep. 13	5	1
Lake City	July 21	Sep. 17	12	1	July 18	Sep. 12	12	1
Live Oak	July 21	Sep. 22	24	2	July 18	Sep. 19	25	2
Madison	July 24	Sep. 9	5	1	July 19	Sep. 18	8	1
Total			6				6	
Total type 14			46				48	
Total 11-14			331				340	

1/ Winston-Salem and Danville clean-up sales held November 8, 1979.

2/ Yadkinville, NC clean-up sale held November 13, Danville, VA and Mt. Airy and Winston-Salem, NC clean-up sales held November 17, 1980.

Table 7--Producers' sales, value, and average price by types for flue-cured tobacco, crops of 1975 to 1980 1/

Type 11 - Old and Middle Belt				Type 12 - Eastern North Carolina			
Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1975	400,832,258	394,336,519	98.38	1975	506,560,874	512,413,345	101.16
1976	434,999,525	465,350,359	106.98	1976	461,764,674	521,621,734	112.96
1977	366,808,557	417,330,219	113.77	1977	370,468,041	439,097,186	118.52
1978	367,998,997	485,041,730	131.81	1978	437,339,128	586,891,858	134.20
1979	297,253,267	415,924,990	139.92	1979	319,873,433	445,310,458	139.21
1980	301,619,475	431,458,289	143.05	1980	424,336,839	626,791,057	147.71

Type 13 - South Carolina and Border North Carolina

Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1975	321,370,317	320,557,161	99.74	1975	181,844,805	181,893,846	100.03
1976	261,101,557	293,115,049	112.26	1976	155,051,397	170,813,390	110.17
1977	227,599,029	282,038,620	123.92	1977	156,528,836	181,232,258	115.78
1978	251,200,323	344,041,868	136.96	1978	145,288,241	207,376,974	142.73
1979	200,820,411	284,338,463	141.59	1979	124,973,269	174,685,006	139.78
1980	224,670,253	321,143,472	142.94	1980	132,066,156	185,319,068	140.32

Types 11-14 - Total flue-cured

Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1975	1,410,608,254	1,409,200,871	99.90	1978	1,201,826,689	1,623,352,430	135.07
1976	1,312,917,153	1,450,900,532	110.51	1979	942,920,380	1,320,258,917	140.02
1977	1,121,404,463	1,319,698,283	117.68	1980	1,082,692,723	1,564,711,886	144.52

1/ Auction sales only. Does not include carry-over tobacco, nonauction sales, or direct deliveries.

Table 8--Gross sales, value, and average price; resales, average price, and percentage of gross sales by types for flue-cured tobacco, crops of 1975 to 1980 1/

Type 11 - Old and Middle Belt						
Crop	Gross		Resales			
	Sales Pounds	Value Dollars	Average price Dollars	Resales Pounds	Average price Dollars	Percentage of gross sales Percent
1975	417,535,807	410,987,195	98.43	16,703,549	96.56	4.0
1976	452,830,681	485,203,903	107.15	17,831,156	111.34	3.9
1977	385,256,228	439,235,153	114.01	18,447,671	118.74	4.8
1978	391,103,294	515,946,150	131.92	23,104,297	133.76	5.9
1979	318,902,173	446,535,573	140.02	21,648,906	141.40	6.8
1980	321,633,104	460,671,796	143.23	20,013,629	145.97	6.2

Type 12 - Eastern North Carolina

1975	523,294,455	529,244,007	101.14	16,733,581	100.58	3.2
1976	480,139,814	542,638,536	113.02	18,375,140	114.38	3.8
1977	388,914,382	461,020,721	118.54	18,446,341	118.85	4.7
1978	465,606,347	624,550,827	134.14	28,267,219	133.22	6.1
1979	343,039,128	477,461,168	139.19	23,165,695	138.79	6.8
1980	455,737,405	672,390,516	147.54	31,400,566	145.22	6.9

See footnote at end of table.

Table 8--Gross sales, value, and average price; resales, average price, and percentage of gross sales by types for flue-cured tobacco, crops of 1975 to 1980--continued

Type 13 - South Carolina and Border North Carolina						
Crop	Gross			Resales		
	Sales Pounds	Value Dollars	Average price Dollars	Resales Pounds	Average price Dollars	Percentage of gross sales Percent
1975	337,295,149	336,862,452	99.87	15,924,832	102.39	4.7
1976	274,533,411	308,368,439	112.32	13,431,854	113.56	4.9
1977	242,521,480	301,064,572	124.14	14,922,451	127.50	6.2
1978	272,244,858	373,061,481	137.03	21,044,535	137.90	7.7
1979	219,417,784	310,800,468	141.65	18,597,373	142.29	8.5
1980	244,799,301	350,784,795	143.29	20,129,048	147.26	8.2

Type 14 - Georgia and Florida						
1975	Sales Pounds	Value Dollars	Average price Dollars	Resales Pounds	Average price Dollars	Percentage of gross sales Percent
1975	190,579,943	190,808,798	100.12	8,735,138	102.06	4.6
1976	162,761,434	179,368,837	110.20	7,710,037	110.97	4.7
1977	169,195,099	196,094,691	115.90	12,666,263	117.34	7.5
1978	160,110,020	227,934,602	142.36	14,821,779	138.70	9.3
1979	137,626,923	192,409,431	139.81	12,653,654	140.07	9.2
1980	144,316,545	202,817,565	140.54	12,250,389	142.84	8.5

Types 11-14 - Total flue-cured						
1975	Sales Pounds	Value Dollars	Average price Dollars	Resales Pounds	Average price Dollars	Percentage of gross sales Percent
1975	1,468,705,354	1,467,902,452	99.95	58,097,100	101.04	4.0
1976	1,370,265,340	1,515,579,715	110.60	57,348,187	112.78	4.2
1977	1,185,887,189	1,397,415,137	117.84	64,482,726	120.52	5.4
1978	1,289,064,519	1,741,493,060	135.10	87,237,830	135.42	6.8
1979	1,018,986,008	1,427,206,640	140.06	76,065,628	140.60	7.5
1980	1,166,486,355	1,686,664,672	144.59	83,793,632	145.54	7.2

1/ Auction sales only. Does not include carry-over tobacco, nonauction, sales or direct deliveries.

Table 9--Across-state-line movement of flue-cured tobacco reflecting net sales in States other than in the State in which produced, 1980 and 1979 crops 1/

State in which produced and crop year	Total sold out of state	Sold in:				
		Florida	Georgia	South Carolina	North Carolina	Virginia
<hr/> <hr/> 1,000 pounds						
1980 Crop						
Alabama	817		817			
Florida	3,405		3,405			
Georgia	1,402	1,343	44		15	
South Carolina	13,014		813		12,201	
North Carolina	23,072			6,477		16,595
Virginia	5,552				5,552	
Total	47,262	1,343	5,079	6,477	17,768	16,595
1979 Crop						
Alabama	815		815			
Florida	3,408		3,408			
Georgia	938	938				
South Carolina	10,205		802		9,399	4
North Carolina	21,637			4,480		17,157
Virginia	4,481				4,481	
Total	41,484	938	5,025	4,480	13,880	17,161

1/ Based on report of Agricultural Stabilization and Conservation Service.

Table 10--Producers' sales, value, and average price by markets for flue-cured tobacco, 1980 and 1979 crops 1/

Market and state	Type 11 - Old and Middle Belt flue-cured					
	1980 crop			1979 crop		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
Virginia:						
Brookneal	6,741,667	9,531,326	141.38	7,920,049	11,177,305	141.13
Chase City	4,937,181	6,997,033	141.72	5,691,472	8,147,133	143.15
Clarksville	6,154,321	8,659,554	140.71	5,853,452	8,363,216	142.88
Danville	38,906,071	56,395,813	144.95	37,921,267	53,448,464	140.95
Kenbridge	3,393,882	4,640,989	136.75	4,062,735	5,721,933	140.84
Lawrenceville	6,208,366	8,429,862	135.78	7,012,810	9,837,534	140.28
Martinsville	2,119,568	3,162,117	149.19	4,692,388	6,545,283	139.49
Petersburg	3,338,023	4,491,310	134.55	3,596,170	5,079,519	141.25
South Boston	15,790,868	22,289,320	141.15	17,826,603	25,257,945	141.69
South Hill	7,552,897	10,684,763	141.47	8,251,531	11,761,139	142.53
Total Virginia	95,142,844	135,282,087	142.19	102,828,477	145,339,471	141.34
North Carolina:						
Aberdeen	5,778,533	7,681,026	132.92	5,834,733	7,687,865	131.76
Burlington	3,297,026	4,933,542	149.64	3,896,864	5,399,560	138.56
Carthage	9,203,060	13,506,075	146.76	7,927,538	10,770,067	135.86
Durham	12,880,245	18,750,220	145.57	11,225,934	15,421,608	137.37
Fuquay-Varina	22,154,380	33,893,540	152.99	19,277,084	26,247,333	136.16
Greensboro	1,273,193	1,926,058	151.28	3,370,963	4,642,553	137.72
Henderson	13,976,455	19,142,344	136.96	13,134,847	18,511,346	140.93
Louisburg	7,890,611	11,106,611	140.76	6,619,000	9,042,484	136.61
Madison	4,995,801	7,449,422	149.11	5,689,727	8,061,724	141.69
Mebane	4,705,005	6,880,721	146.24	4,333,617	6,113,384	141.07
Mt. Airy	10,517,825	14,822,388	140.93	8,894,366	12,685,864	142.63
Oxford	12,178,083	16,938,878	139.09	12,625,617	17,529,917	138.84
Reidsville	16,281,557	24,160,298	148.39	14,361,081	20,238,254	140.92
Roxboro	13,610,368	19,996,374	146.92	12,827,481	17,951,454	139.95
Sanford	11,188,656	17,081,262	152.67	10,257,018	14,151,516	137.97
Stoneville	9,005,657	13,406,928	148.87	8,629,096	12,114,661	140.39
Warrenton	7,038,379	9,290,410	132.00	6,858,577	9,312,586	135.78
Winston-Salem	35,788,909	49,376,988	137.97	34,368,843	48,778,230	141.93
Yadkinville	4,712,888	5,833,117	123.77	4,292,404	5,925,113	138.04
Total N. C.	206,476,631	296,176,202	143.44	194,424,790	270,585,519	139.17
Total type 11	301,619,475	431,458,289	143.05	297,253,267	415,924,990	139.92
Type 12 - Eastern North Carolina flue-cured						
North Carolina:						
Ahoskie	8,004,203	10,206,327	127.51	6,623,543	8,904,906	134.44
Clinton	20,138,072	30,446,081	151.19	13,358,506	18,285,014	136.88
Dunn	13,068,403	19,307,948	147.75	10,556,237	14,110,521	133.67
Farmville	32,976,299	49,656,149	150.58	24,657,716	35,011,491	141.99
Goldsboro	37,118,360	56,336,619	151.78	25,488,855	36,301,800	142.42
Greenville	49,659,371	72,980,182	146.96	37,750,735	53,310,544	141.22
Kinston	47,190,834	71,594,673	151.71	37,083,626	52,401,739	141.31
Robersonville	8,450,185	12,300,362	145.56	5,960,619	8,391,853	140.79
Rocky Mount	31,161,654	42,454,791	136.24	24,644,125	32,903,408	133.51
Smithfield	24,788,591	36,052,260	145.44	16,407,558	22,321,539	136.04
Tarboro	3,752,576	5,223,017	139.18	3,844,702	5,006,011	130.21
Wallace	12,054,377	18,540,753	153.81	8,683,748	12,131,338	139.70
Washington	8,574,456	12,336,866	143.88	6,696,952	9,314,632	139.09
Wendell	11,991,758	17,392,439	145.04	8,336,753	11,367,014	136.35
Williamston	13,785,566	20,314,846	147.36	9,744,650	13,545,358	139.00
Wilson	90,179,411	135,624,955	150.39	71,236,732	99,916,488	140.26
Windsor	11,442,723	16,022,789	140.03	8,798,376	12,086,802	137.38
Total type 12	424,336,839	626,791,057	147.71	319,873,433	445,310,458	139.21

See footnote at end of table.

Table 10--Producers' sales, value, and average price by markets for flue-cured tobacco, 1980 and 1979 crops--continued 1/

Type 13 - South Carolina and Border North Carolina flue-cured						
Market and state	1980 crop			1979 crop		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
South Carolina:						
Conway	10,572,561	15,364,664	145.33	8,269,657	11,717,421	141.69
Darlington	5,808,372	6,985,910	120.27	6,316,122	8,670,937	137.28
Dillon	2,169,737	2,945,675	135.76	2,577,823	3,586,684	139.14
Hemingway	7,980,072	11,888,618	148.98	5,379,541	7,637,112	141.97
Kingstree	6,887,135	9,704,521	140.91	6,745,271	9,442,771	139.99
Lake City	30,642,079	42,048,069	137.22	33,355,383	47,705,785	143.02
Loris	7,825,698	11,182,985	142.90	6,869,194	9,717,452	141.46
Mullins	34,479,829	48,269,509	139.99	30,108,245	42,880,792	142.42
Pamplico	4,517,197	6,237,251	138.08	4,774,055	6,760,434	141.61
Timmonsville	7,982,347	10,438,048	130.76	7,358,090	10,410,574	141.48
Total S. C.	118,865,027	165,065,250	138.87	111,753,381	158,529,962	141.86
North Carolina:						
Chadbourn	15,901,225	23,592,505	148.37	12,365,763	17,371,730	140.48
Clarkton	5,301,707	7,888,098	148.78	4,082,835	5,687,904	139.31
Fair Bluff	6,259,389	8,994,222	143.69	5,062,411	7,171,837	141.67
Fairmont	28,649,124	42,156,390	147.15	25,567,101	36,517,229	142.83
Lumberton	18,127,941	26,570,262	146.57	19,535,587	27,171,669	139.09
Tabor City	13,669,567	20,095,893	147.01	8,896,254	12,735,320	143.15
Whiteville	17,896,273	26,780,852	149.64	13,557,079	19,152,812	141.28
Total N. C.	105,805,226	156,078,222	147.51	89,067,030	125,808,501	141.25
Total type 13	224,670,253	321,143,472	142.94	200,820,411	284,338,463	141.59
Type 14 - Georgia and Florida flue-cured						
Georgia:						
Adel	4,142,303	5,863,529	141.55	4,428,767	6,377,637	144.00
Alma	6,047,449	8,679,663	143.53	3,379,527	4,658,271	137.84
Baxley	5,604,907	7,026,929	125.37	3,112,751	4,384,968	140.87
Blackshear	9,231,600	13,259,834	143.64	5,586,232	7,845,322	140.44
Claxton	5,394,004	7,087,583	131.40	4,669,845	6,390,075	136.84
Douglas	11,994,810	17,791,920	148.33	11,464,360	16,547,074	144.33
Fitzgerald	3,903,342	5,319,588	136.28	4,232,143	6,177,280	145.96
Hahira	4,012,003	5,819,677	145.06	2,899,742	4,142,514	142.86
Hazlehurst	2,932,754	3,662,209	124.87	3,422,605	4,947,601	144.56
Metter	2,846,721	3,530,709	124.03	3,176,502	4,319,872	135.99
Moultrie	14,009,094	20,444,301	145.94	12,162,146	17,469,351	143.64
Nashville	9,307,084	13,523,048	145.30	8,645,508	12,266,122	141.88
Pelham	3,980,797	5,574,714	140.04	5,083,540	6,989,823	137.50
Statesboro	3,979,658	4,986,127	125.29	4,206,052	5,542,546	131.78
Thomasville	2,330,580	3,228,326	138.52	2,038,700	2,665,900	130.76
Tifton	5,747,391	7,861,684	136.79	7,163,612	9,905,301	138.27
Valdosta	7,439,892	10,634,246	142.94	8,848,875	12,052,077	136.20
Vidalia	7,370,614	9,123,017	123.78	7,913,122	11,298,132	142.78
Waycross	3,649,097	5,392,006	147.76	2,533,085	3,605,802	142.35
Total Georgia	113,924,100	158,809,110	139.40	104,967,114	147,585,668	140.60
Florida:						
High Springs	2,521,016	3,681,551	146.03	3,167,074	4,266,616	134.72
Jasper	1,782,936	2,685,855	150.64	1,542,211	2,151,834	139.53
Lake City	3,943,977	5,715,391	144.91	4,255,727	5,702,179	133.99
Live Oak	8,541,578	12,507,712	146.43	8,942,009	12,240,810	136.89
Madison	1,352,549	1,919,449	141.91	2,099,134	2,737,899	130.43
Total Florida	18,142,056	26,509,958	146.12	20,006,155	27,099,338	135.46
Total type 14	132,066,156	185,319,068	140.32	124,973,269	174,685,006	139.78
Total types 11-14	1,082,692,723	1,564,711,886	144.52	942,920,380	1,320,258,917	140.02

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

Table 11--Gross sales, value, and average price by markets for flue-cured tobacco, 1980 and 1979 crops 1

Market and state	Type 11 - Old and Middle Belt flue-cured			1979 crop		
	1980 crop			Sales	Value	Average price
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Virginia:						
Brookneal	7,172,767	10,158,330	141.62	8,401,128	11,847,970	141.03
Chase City	5,274,964	7,477,493	141.75	6,096,654	8,725,015	143.11
Clarksville	6,412,990	9,015,751	140.59	6,084,236	8,693,347	142.88
Danville	40,653,199	58,891,681	144.86	39,758,737	56,100,899	141.10
Kenbridge	3,459,346	4,725,895	136.61	4,214,651	5,926,060	140.61
Lawrenceville	6,404,696	8,703,114	135.89	7,293,245	10,230,659	140.28
Martinsville	2,227,920	3,343,704	150.08	4,979,501	6,976,258	140.10
Petersburg	3,457,922	4,651,675	134.52	3,771,993	5,332,172	141.36
South Boston	16,602,654	23,413,027	141.02	18,805,004	26,634,378	141.63
South Hill	7,811,573	11,072,037	141.74	8,607,020	12,270,866	142.57
Total Virginia	99,478,031	141,452,707	142.19	108,012,169	152,737,624	141.41
North Carolina:						
Aberdeen	6,220,644	8,211,102	132.00	6,382,227	8,409,943	131.77
Burlington	3,415,091	5,114,644	149.77	4,058,803	5,627,882	138.66
Carthage	9,738,281	14,290,562	146.75	8,549,121	11,630,065	136.04
Durham	14,073,394	20,528,901	145.87	12,447,187	17,111,242	137.47
Fuquay-Varina	23,708,790	36,303,465	153.12	20,781,133	28,351,600	136.43
Greensboro	1,357,267	2,048,765	150.95	3,641,708	5,017,127	137.77
Henderson	14,592,636	20,027,620	137.24	13,688,918	19,313,111	141.09
Louisburg	8,336,593	11,740,597	140.83	6,985,825	9,549,069	136.69
Madison	5,529,965	8,246,426	149.12	6,348,041	8,982,083	141.49
Mebane	4,816,379	7,044,475	146.26	4,441,227	6,268,794	141.15
Mt. Airy	11,595,546	16,407,789	141.50	9,880,896	14,088,256	142.58
Oxford	12,834,008	17,844,500	139.04	13,424,048	18,625,866	138.75
Reidsville	17,155,821	25,507,458	148.68	15,549,430	21,986,712	141.40
Roxboro	14,621,063	21,521,361	147.19	13,790,617	19,338,840	140.23
Sanford	11,782,676	18,001,564	152.78	10,771,276	14,866,900	138.02
Stoneville	9,769,230	14,597,280	149.42	9,490,655	13,362,067	140.79
Warrenton	7,457,364	9,868,475	132.33	7,295,158	9,920,396	135.99
Winston-Salem	40,124,897	55,726,812	138.88	38,795,862	55,049,359	141.89
Yadkinville	5,025,428	6,187,293	123.12	4,567,872	6,298,637	137.89
Total N. C.	222,155,073	319,219,089	143.69	210,890,004	293,797,949	139.31
Total type 11	321,633,104	460,671,796	143.23	318,902,173	446,535,573	140.02

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	8,599,209	11,019,439	128.14	6,976,483	9,395,682	134.68
Clinton	21,682,925	32,813,909	151.34	14,282,938	19,583,099	137.11
Dunn	13,778,103	20,326,252	147.53	11,315,072	15,125,675	133.68
Farmville	34,796,012	52,362,546	150.48	26,097,435	37,108,643	142.19
Goldsboro	40,604,400	61,640,678	151.81	27,955,651	39,852,785	142.56
Greenville	53,475,423	78,261,713	146.35	40,895,929	57,550,807	140.73
Kinston	50,053,555	75,693,470	151.22	39,637,516	55,924,247	141.09
Robersonville	9,181,812	13,174,900	143.49	6,658,992	9,250,227	138.91
Rocky Mount	32,737,649	44,636,297	136.35	25,707,736	34,294,202	133.40
Smithfield	26,433,416	38,433,916	145.40	17,440,232	23,766,112	136.27
Tarboro	3,968,424	5,526,660	139.27	4,072,442	5,302,305	130.20
Wallace	12,598,561	19,344,469	153.55	9,096,994	12,695,336	139.56
Washington	9,336,971	13,459,567	144.15	7,261,482	10,140,667	139.65
Wendell	12,698,553	18,323,470	144.30	8,796,943	11,981,235	136.20
Williamston	14,551,908	21,424,217	147.23	10,311,136	14,336,319	139.04
Wilson	98,645,279	148,256,952	150.29	76,987,715	108,013,634	140.30
Windsor	12,595,205	17,692,061	140.47	9,544,432	13,140,193	137.67
Total type 12	455,737,405	672,390,516	147.54	343,039,128	477,461,168	139.19

See footnote at end of table.

Table 11--Gross sales, value, and average price by markets for flue-cured tobacco, 1980 and 1979 crops--
continued 1/

Type 13 - South Carolina and Border North Carolina flue-cured

Market and state	1980 crop			1979 crop		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
South Carolina:						
Conway	11,565,795	16,885,716	146.00	9,024,773	12,809,975	141.94
Darlington	6,216,439	7,533,927	121.19	6,737,041	9,280,758	137.76
Dillon	2,298,831	3,117,924	135.63	2,767,939	3,847,272	138.99
Hemingway	8,644,771	12,904,211	149.27	5,831,082	8,286,434	142.11
Kingstree	7,529,569	10,655,219	141.51	7,425,341	10,380,138	139.79
Lake City	33,720,863	46,474,282	137.82	36,359,115	51,939,999	142.85
Loris	8,446,449	12,122,910	143.53	7,416,587	10,492,710	141.48
Mullins	37,849,995	53,238,005	140.66	33,194,814	47,334,508	142.60
Pamplico	4,704,177	6,507,666	138.34	5,081,750	7,203,036	141.74
Timmonsville	8,868,341	11,665,451	131.54	8,146,372	11,538,669	141.64
Total S. C.	129,845,230	181,105,311	139.48	121,984,814	173,113,499	141.91
North Carolina:						
Chadbourn	17,491,632	25,991,110	148.59	13,724,516	19,292,136	140.57
Clarkton	5,851,484	8,695,634	148.61	4,554,699	6,330,181	138.98
Fair Bluff	6,851,867	9,845,594	143.69	5,590,182	7,912,539	141.54
Fairmont	31,519,507	46,517,806	147.58	28,207,075	40,320,667	142.95
Lumberton	19,242,323	28,230,503	146.71	20,877,636	29,074,554	139.26
Tabor City	14,978,942	21,977,160	146.72	9,904,304	14,182,350	143.19
Whiteville	19,018,316	28,421,677	149.44	14,574,558	20,574,542	141.17
Total N. C.	114,954,071	169,679,484	147.61	97,432,970	137,686,969	141.31
Total type 13	244,799,301	350,784,795	143.29	219,417,784	310,800,468	141.65

Type 14 - Georgia and Florida flue-cured

Georgia:	1980	1979	1980	1979	1980	1979
Adel	4,549,773	6,429,265	141.31	4,854,064	6,985,521	143.91
Alma	6,322,734	9,074,761	143.53	3,670,064	5,062,316	137.94
Baxley	6,067,509	7,616,767	125.53	3,476,531	4,906,346	141.13
Blackshear	9,933,443	14,339,318	144.35	6,004,784	8,437,821	140.52
Claxton	6,011,197	7,892,221	131.29	5,232,003	7,135,606	136.38
Douglas	13,079,422	19,483,284	148.96	12,540,458	18,160,711	144.82
Fitzgerald	4,069,112	5,541,023	136.17	4,519,173	6,600,527	146.06
Hahira	4,139,525	6,005,486	145.08	3,045,284	4,354,253	142.98
Hazlehurst	3,207,160	3,998,138	124.66	3,663,379	5,295,926	144.56
Metter	2,872,390	3,563,810	124.07	3,244,751	4,408,220	135.86
Moultrie	15,740,527	22,959,660	145.86	13,897,599	19,784,215	142.36
Nashville	10,037,509	14,573,171	145.19	9,340,069	13,237,698	141.73
Pelham	4,442,247	6,268,444	141.11	5,680,640	7,824,133	137.73
Statesboro	4,397,621	5,533,825	125.84	4,665,646	6,114,654	131.06
Thomasville	2,582,574	3,606,921	139.66	2,336,468	3,072,578	131.51
Tifton	6,389,583	8,771,595	137.28	7,930,337	10,970,613	138.34
Valdosta	8,226,033	11,761,965	142.98	9,829,236	13,349,775	135.82
Vidalia	8,358,019	10,363,952	124.00	8,772,034	12,535,744	142.91
Waycross	3,896,593	5,763,499	147.91	2,696,107	3,840,155	142.43
Total Georgia	124,322,971	173,547,105	139.59	115,398,627	162,076,812	140.45
Florida:						
High Springs	2,743,268	4,015,490	146.38	3,546,428	4,895,540	138.04
Jasper	1,856,828	2,794,743	150.51	1,609,613	2,248,130	139.67
Lake City	4,269,426	6,132,485	143.64	4,598,162	6,132,414	133.37
Live Oak	9,692,363	14,291,880	147.46	10,286,513	14,199,580	138.04
Madison	1,431,689	2,035,862	142.20	2,187,580	2,856,955	130.60
Total Florida	19,993,574	29,270,460	146.40	22,228,296	30,332,619	136.46
Total type 14	144,316,545	202,817,565	140.54	137,626,923	192,409,431	139.81
Total types 11-14	1,166,486,355	1,686,664,672	144.59	1,018,986,008	1,427,206,640	140.06

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

Table 12--Resales, average price, and percentage of gross sales by markets for flue-cured tobacco, 1980 and 1979 crops 1/

Market and state	Type 11 - Old and Middle Belt flue-cured					
	1980 crop			1979 crop		
	Resales Pounds	Average price Dollars	Percent of gross Percent	Resales Pounds	Average price Dollars	Percent of gross Percent
Virginia:						
Brookneal	431,100	145.44	6.0	481,079	139.41	5.7
Chase City	337,783	142.24	6.4	405,182	142.62	6.6
Clarksville	258,669	137.70	4.0	230,784	143.05	3.8
Danville	1,747,128	142.86	4.3	1,837,470	144.35	4.6
Kenbridge	65,464	129.70	1.9	151,916	134.37	3.6
Lawrenceville	196,330	139.18	3.1	280,435	140.18	3.8
Martinsville	108,352	167.59	4.9	287,113	150.11	5.8
Petersburg	119,899	133.75	3.5	175,823	143.70	4.7
South Boston	811,786	138.42	4.9	978,401	140.68	5.2
South Hill	258,676	149.71	3.3	355,489	143.39	4.1
Total Virginia	4,335,187	142.34	4.4	5,183,692	142.72	4.8
North Carolina:						
Aberdeen	442,111	119.90	7.1	547,494	131.89	8.6
Burlington	118,065	153.39	3.5	161,939	140.99	4.0
Carthage	535,221	146.57	5.5	621,583	138.36	7.3
Durham	1,193,149	149.07	8.5	1,221,253	138.35	9.8
Fuquay-Varina	1,554,410	155.04	6.6	1,504,049	139.91	7.2
Greensboro	84,074	145.95	6.2	270,745	138.35	7.4
Henderson	616,181	143.67	4.2	554,071	144.70	4.0
Louisburg	445,982	142.16	5.4	366,825	138.10	5.3
Madison	534,164	149.21	9.7	658,314	139.81	10.4
Mebane	111,374	147.03	2.3	107,610	144.42	2.4
Mt. Airy	1,077,721	147.11	9.3	986,530	142.15	10.0
Oxford	655,925	138.07	5.1	798,431	137.26	5.9
Reidsville	874,264	154.09	5.1	1,188,349	147.13	7.6
Roxboro	1,010,695	150.88	6.9	963,136	144.05	7.0
Sanford	594,020	154.93	5.0	514,258	139.11	4.8
Stoneville	763,573	155.89	7.8	861,559	144.78	9.1
Warrenton	418,985	137.97	5.6	436,581	139.22	6.0
Winston-Salem	4,335,988	146.44	10.8	4,427,019	141.66	11.4
Yadkinville	312,540	113.32	6.2	275,468	135.60	6.0
Total N. C.	15,678,442	146.97	7.1	16,465,214	140.98	7.8
Total type 11	20,013,629	145.97	6.2	21,648,906	141.40	6.8

Type 12 - Eastern North Carolina flue-cured					
North Carolina:					
Ahoskie	595,006	136.66	6.9	352,940	139.05
Clinton	1,544,853	153.27	7.1	924,432	140.42
Dunn	709,700	143.48	5.2	758,835	133.78
Farmville	1,819,713	148.73	5.2	1,439,719	145.66
Goldsboro	3,486,040	152.15	8.6	2,466,796	143.95
Greenville	3,816,052	138.40	7.1	3,145,194	134.82
Kinston	2,862,721	143.18	5.7	2,553,890	137.93
Robersonville	731,627	119.53	8.0	698,373	122.91
Rocky Mount	1,575,995	138.42	4.8	1,063,611	130.76
Smithfield	1,644,825	144.80	6.2	1,032,674	139.89
Tarboro	215,848	140.67	5.4	227,740	130.10
Wallace	544,184	147.69	4.3	413,246	136.48
Washington	762,515	147.24	8.2	564,530	146.32
Wendell	706,795	131.73	5.6	460,190	133.47
Williamston	766,342	144.76	5.3	566,486	139.63
Wilson	8,465,868	149.21	8.6	5,750,983	140.80
Windsor	1,152,482	144.84	9.2	746,056	141.19
Total type 12	31,400,566	145.22	6.9	23,165,695	138.79

See footnote at end of table.

Table 12--Resales, average price, and percentage of gross sales by markets for flue-cured tobacco, 1980 and 1979 crops--continued 1/

Market and state	Type 13 - South Carolina and Border North Carolina flue-cured					
	1980 crop			1979 crop		
	Resales Pounds	Average price Dollars	Percent of gross Percent	Resales Pounds	Average price Dollars	Percent of gross Percent
South Carolina:						
Conway	993,234	153.14	8.6	755,116	144.69	8.4
Darlington	408,067	134.30	6.6	420,919	144.88	6.2
Dillon	129,094	133.43	5.6	190,116	137.07	6.9
Hemingway	664,699	152.79	7.7	451,541	143.80	7.7
Kingstree	642,434	147.98	8.5	680,070	137.83	9.2
Lake City	3,078,784	143.76	9.1	3,003,732	140.97	8.3
Loris	620,751	151.42	7.3	547,393	141.63	7.4
Mullins	3,370,166	147.43	8.9	3,086,569	144.29	9.3
Pamplico	186,980	144.62	4.0	307,695	143.84	6.1
Timmonsville	885,994	138.53	10.0	788,282	143.11	9.7
Total S. C.	10,980,203	146.08	8.5	10,231,433	142.54	8.4
North Carolina:						
Chadbourn	1,590,407	150.82	9.1	1,358,753	141.34	9.9
Clarkton	549,777	146.88	9.4	471,864	136.11	10.4
Fair Bluff	592,478	143.70	8.7	527,771	140.35	9.4
Fairmont	2,870,383	151.95	9.1	2,639,974	144.07	9.4
Lumberton	1,114,382	148.98	5.8	1,342,049	141.79	6.4
Tabor City	1,309,375	143.68	8.7	1,008,050	143.55	10.2
Whiteville	1,122,043	146.24	5.9	1,017,479	139.73	7.0
Total N. C.	9,148,845	148.67	8.0	8,365,940	141.99	8.6
Total type 13	20,129,048	147.26	8.2	18,597,373	142.29	8.5

Type 14 - Georgia and Florida flue-cured						
Georgia:	1980 crop			1979 crop		
	Resales Pounds	Average price Dollars	Percent of gross Percent	Resales Pounds	Average price Dollars	Percent of gross Percent
Adel	407,470	138.84	9.0	425,297	142.93	8.8
Alma	275,285	143.52	4.4	290,537	139.07	7.9
Baxley	462,602	127.50	7.6	363,780	143.32	10.5
Blackshear	701,843	153.81	7.1	418,552	141.56	7.0
Claxton	617,193	130.37	10.3	562,158	132.62	10.7
Douglas	1,084,612	155.94	8.3	1,076,098	149.95	8.6
Fitzgerald	165,770	133.58	4.1	287,030	147.46	6.4
Hahira	127,522	145.71	3.1	145,542	145.48	4.8
Hazlehurst	274,406	122.42	8.6	240,774	144.67	6.6
Metter	25,669	128.95	0.9	68,249	129.45	2.1
Moultrie	1,731,433	145.28	11.0	1,735,453	133.39	12.5
Nashville	730,425	143.77	7.3	694,561	139.88	7.4
Pelham	461,450	150.34	10.4	597,100	139.73	10.5
Statesboro	417,963	131.04	9.5	459,594	124.48	9.9
Thomasville	251,994	150.24	9.8	297,768	136.58	12.7
Tifton	642,192	141.69	10.1	766,725	138.94	9.7
Valdosta	786,141	143.45	9.6	980,361	132.37	10.0
Vidalia	987,405	125.68	11.8	858,912	144.09	9.8
Waycross	247,496	150.10	6.4	163,022	143.76	6.1
Total Georgia	10,398,871	141.73	8.4	10,431,513	138.92	9.0
Florida:						
High Springs	222,252	150.25	8.1	379,354	165.79	10.7
Jasper	73,892	147.36	4.0	67,402	142.87	4.2
Lake City	325,449	128.16	7.6	342,435	125.64	7.4
Live Oak	1,150,785	155.04	11.9	1,344,504	145.69	13.1
Madison	79,140	147.10	5.5	88,446	134.61	4.0
Total Florida	1,851,518	149.09	9.3	2,222,141	145.50	10.0
Total type 14	12,250,389	142.84	8.5	12,653,654	140.07	9.2
Total types 11-14	83,793,632	145.54	7.2	76,065,628	140.60	7.5

1/ Auction sales only, Does not include carry-over tobacco, nonauction sales, or direct deliveries.

Table 13--Rank of flue-cured markets, according to volume of producers' sales, by separate types and by all types, 1980 marketing season 1/

Type, market and state	Sales	Rank by:		Type, market and state	Sales	Rank by:	
		Separate types	All types			Separate types	All types
	Mil. lbs.				Mil. lbs.		
<u>Type 11</u>							
Danville, VA	38.9	1	4	Mullins, SC	34.5	1	7
Winston-Salem, NC	35.8	2	6	Lake City, SC	30.6	2	10
Fuquay-Varina, NC	22.2	3	13	Fairmont, NC	28.6	3	11
Reidsville, NC	16.3	4	17	Lumberton, NC	18.1	4	15
South Boston, VA	15.8	5	19	Whiteville, NC	17.9	5	16
Henderson, NC	14.0	6	21	Chadbourn, NC	15.9	6	18
Roxboro, NC	13.6	7	24	Tabor City, NC	13.7	7	23
Durham, NC	12.9	8	26	Conway, SC	10.6	8	33
Oxford, NC	12.2	9	27	Timmonsville, SC	8.0	9	42
Sanford, NC	11.2	10	32	Hemingway, SC	8.0	10	43
Mt. Airy, NC	10.5	11	34	Loris, SC	7.8	11	46
Carthage, NC	9.2	12	37	Kingstree, SC	6.9	12	51
Stoneville, NC	9.0	13	38	Fair Bluff, NC	6.3	13	53
Louisburg, NC	7.9	14	45	Darlington, SC	5.8	14	57
South Hill, VA	7.6	15	47	Clarkton, NC	5.3	15	62
Warrenton, NC	7.0	16	50	Pamplico, SC	4.5	16	67
Brookneal, VA	6.7	17	52	Dillon, SC	2.2	17	83
Lawrenceville, VA	6.2	18	54				
Clarksville, VA	6.2	19	55				
Aberdeen, NC	5.8	20	58				
Madison, NC	5.0	21	63				
Chase City, VA	4.9	22	64				
Yadkinville, NC	4.7	23	65				
Mebane, NC	4.7	24	66				
Kenbridge, VA	3.4	25	76				
Petersburg, VA	3.3	26	77				
Burlington, NC	3.3	27	78				
Martinsville, VA	2.1	28	84				
Greensboro, NC	1.3	29	87				
<u>Type 12</u>							
Wilson, NC	90.2	1	1	Moultrie, GA	14.0	1	20
Greenville, NC	49.7	2	2	Douglas, GA	12.0	2	29
Kinston, NC	47.2	3	3	Nashville, GA	9.3	3	35
Goldsboro, NC	37.1	4	5	Blackshear, GA	9.2	4	36
Farmville, NC	33.0	5	8	Live Oak, FL	8.5	5	40
Rocky Mount, NC	31.2	6	9	Valdosta, GA	7.4	6	48
Smithfield, NC	24.8	7	12	Vidalia, GA	7.4	7	49
Clinton, NC	20.1	8	14	Alma, GA	6.0	8	56
Williamston, NC	13.8	9	22	Tifton, GA	5.7	9	59
Dunn, NC	13.1	10	25	Baxley, GA	5.6	10	60
Wallace, NC	12.1	11	28	Claxton, GA	5.4	11	61
Wendell, NC	12.0	12	30	Adel, GA	4.1	12	68
Windsor, NC	11.4	13	31	Hahira, GA	4.0	13	69
Washington, NC	8.6	14	39	Pelham, GA	4.0	14	70
Robersonville, NC	8.5	15	41	Statesboro, GA	4.0	15	71
Ahoskie, NC	8.0	16	44	Lake City, FL	3.9	16	72
Tarboro, NC	3.8	17	74	Fitzgerald, GA	3.9	17	73
				Waycross, GA	3.6	18	75
				Hazlehurst, GA	2.9	19	79
				Metter, GA	2.8	20	80
				High Springs, FL	2.5	21	81
				Thomasville, GA	2.3	22	82
				Jasper, FL	1.8	23	85
				Madison, FL	1.4	24	86

1/ In instances where producers' sales of two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 14--Season average prices per 100 pounds of tobacco by types in the flue-cured area and schedule of loan rates, 1980 crop 1/

Group and grade 2/	1980 crop Season averages					1980 Loan rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
Wrappers:							Wrappers:
A1L	-	-	-	-	-	182	A1L
A1F	-	-	-	-	-	182	A1F
Leaf:							Leaf:
B1L	184	-	-	-	182	172	B1L
B2L	182	177	178	(168)	178	168	B2L
B3L	175	173	170	166	172	165	B3L
B4L	173	171	170	165	171	161	B4L
B5L	167	169	168	161	166	154	B5L
B6L	-	-	-	-	(158)	148	B6L
B1F	180	-	-	-	181	172	B1F
B2F	180	180	(171)	(169)	179	168	B2F
B3F	175	174	172	166	174	165	B3F
B4F	173	172	170	165	171	161	B4F
B5F	170	170	167	165	168	154	B5F
B6F	161	167	162	158	162	148	B6F
B1FR	-	-	-	-	-	170	B1FR
B2FR	-	-	-	-	-	166	B2FR
B3FR	-	(169)	-	-	169	163	B3FR
B4FR	175	168	(175)	-	170	160	B4FR
B5FR	165	163	169	-	165	153	B5FR
B6FR	-	-	-	-	(158)	146	B6FR
B4R	-	-	-	-	-	144	B4R
B5R	(139)	(135)	(136)	-	137	135	B5R
B3K	170	172	170	(164)	170	158	B3K
B4K	165	166	164	162	165	152	B4K
B5K	156	158	156	158	157	145	B5K
B6K	142	146	145	150	146	137	B6K
B3KR	168	170	-	160	166	154	B3KR
B4KR	162	166	165	163	164	150	B4KR
B5KR	152	154	154	159	155	143	B5KR
B3V	171	168	166	161	167	153	B3V
B4V	168	167	164	160	166	148	B4V
B5V	161	163	159	157	161	141	B5V
B3S	166	166	-	158	162	147	B3S
B4S	-	(160)	(153)	148	151	143	B4S
B5S	-	-	-	-	-	136	B5S
B3KL	168	171	166	157	167	148	B3KL
B4KL	166	165	162	153	163	144	B4KL
B5KL	156	160	154	152	157	138	B5KL
B6KL	(146)	145	136	144	144	129	B6KL
B3KF	168	168	165	162	167	148	B3KF
B4KF	159	159	157	156	158	144	B4KF
B5KF	146	149	147	149	148	138	B5KF
B6KF	132	136	135	138	135	129	B6KF
B4KV	153	157	152	154	154	139	B4KV
B5KV	141	149	144	148	145	131	B5KV
B6KV	129	134	132	139	133	123	B6KV
B3KM	169	169	161	161	167	150	B3KM
B4KM	165	165	160	159	163	147	B4KM
B5KM	157	160	155	156	158	141	B5KM
B6KM	142	147	142	144	145	130	B6KM
B4G	155	154	147	145	152	136	B4G
B5G	143	146	141	140	143	130	B5G
B6G	134	131	129	129	131	121	B6G
B5GR	123	(132)	(120)	-	124	117	B5GR
B4GK	149	152	143	144	148	130	B4GK
B5GK	136	142	136	139	139	126	B5GK
B6GK	123	129	125	129	127	118	B6GK
B5GG	127	128	133	-	129	109	B5GG

See footnotes at end of table.

Table 14--Season average prices per 100 pounds of tobacco by types in the flue-cured area and schedule of loan rates, 1980 crop--continued 1/

Group and grade 2/	1980 crop Season averages					1980 Loan rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
Smoking leaf:							
H3L	178	-	-	-	178	167	Smoking leaf:
H4L	174	174	167	(165)	172	164	H3L
H5L	171	(168)	-	(166)	169	156	H4L
H6L	-	-	-	(163)	(163)	151	H5L
H1F	-	-	-	-	-	174	H6L
H2F	(183)	-	172	-	165	170	H1F
H3F	177	174	176	168	175	167	H2F
H4F	173	174	172	166	173	164	H3F
H5F	172	171	169	166	170	156	H4F
H6F	163	-	-	(164)	164	151	H5F
H4FR	-	-	-	-	-	160	H6F
H5FR	-	-	-	-	-	154	H4FR
H6FR	-	-	-	-	-	147	H5FR
H4K	169	172	161	165	167	154	H6FR
H5K	164	165	163	165	164	149	H4K
H6K	154	156	150	161	157	142	H5K
Cutters:							
C1L	-	-	-	-	-	174	Cutters:
C2L	(190)	180	-	-	182	171	C1L
C3L	176	174	171	168	174	168	C2L
C4L	170	170	169	165	170	164	C3L
C5L	166	167	165	160	165	157	C4L
C1F	-	-	-	-	-	174	C5L
C2F	(182)	177	-	-	178	171	C1F
C3F	176	173	173	-	174	168	C2F
C4F	171	170	170	165	170	164	C3F
C5F	169	168	167	162	168	157	C4F
C4KR	167	165	165	160	164	153	C5F
C4V	166	163	162	156	163	151	C4KR
C4S	165	164	160	153	160	148	C4V
C4KL	164	163	161	154	162	145	C4S
C4KM	166	166	161	157	164	148	C4KL
C4G	153	151	146	143	149	136	C4KM
C4GK	148	153	144	140	148	130	C4G
Lugs:							
X1L	(179)	-	-	-	177	169	Lugs:
X2L	174	169	165	(165)	170	164	X1L
X3L	165	162	162	159	163	158	X2L
X4L	160	155	157	153	157	148	X3L
X5L	147	144	146	144	145	134	X4L
X1F	170	177	-	-	174	169	X5L
X2F	167	171	167	-	169	164	X1F
X3F	167	164	164	160	165	158	X2F
X4F	163	158	159	154	160	148	X3F
X5F	150	145	147	145	147	134	X4F
X3KR	162	161	160	(149)	160	148	X5F
X4KR	156	152	152	148	152	143	X3KR
X3V	159	156	155	150	156	147	X4KR
X4V	155	150	149	147	151	141	X3V
X3S	159	149	150	150	151	141	X4V
X4KL	150	148	150	142	148	133	X3S
X4KF	145	149	143	138	144	133	X4KL
X4KV	142	142	138	136	140	126	X4KF
X3KM	158	158	154	150	156	142	X4KV
X4KM	153	151	149	145	150	135	X3KM
X4GK	137	137	131	131	134	121	X4KM
X4G	140	137	133	132	136	126	X4GK
X5G	132	129	127	126	129	120	X4G
							X5G

See footnotes at end of table.

Table 14--Season average prices per 100 pounds of tobacco by types in the flue-cured area and schedule of loan rates, 1980 crop--continued 1/

Group and grade 2/	1980 crop Season averages					1980 Loan rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
Primings:							Primings:
P2L	151	139	-	145	146	118	P2L
P2L sand	-	-	-	-	-	106	P2L sand
P3L	141	126	133	134	135	110	P3L
P3L sand	126	-	-	-	123	99	P3L sand
P4L	129	118	122	121	124	100	P4L
P4L sand	120	114	(112)	101	118	90	P4L sand
P5L	110	105	105	106	107	0	P5L
P5L sand	104	(101)	-	(90)	103	0	P5L sand
P2F	(153)	-	-	(140)	145	118	P2F
P2F sand	-	-	-	-	-	106	P2F sand
P3F	143	130	133	137	137	110	P3F
P3F sand	(133)	-	-	(116)	128	99	P3F sand
P4F	130	120	121	124	125	100	P4F
P4F sand	116	109	112	99	113	90	P4F sand
P5F	113	107	104	106	108	0	P5F
P5F sand	100	-	-	86	97	0	P5F sand
P4G	116	107	106	106	109	90	P4G
P4G sand	106	(87)	-	91	100	81	P4G sand
P5G	102	97	94	87	95	0	P5G
P5G sand	95	(92)	-	(77)	92	0	P5G sand
Mixed:							Mixed:
M4F	-	-	(130)	(162)	150	129	M4F
M5F	-	(129)	147	(149)	141	125	M5F
M4KR	-	-	-	-	-	119	M4KR
M4KM	-	173	-	158	163	118	M4KM
M5KM	-	140	140	136	138	113	M5KM
M4GK	-	(146)	128	-	135	113	M4GK
M5GK	-	133	136	119	129	105	M5GK
Nondescript:							Nondescript:
N1L	98	98	96	96	97	0	N1L
N1L sand	91	(82)	-	73	87	0	N1L sand
N1XL	115	117	118	114	116	0	N1XL
N1K	117	122	118	136	122	106	N1K
N1R	103	112	107	112	110	96	N1R
N1GL	96	101	90	94	95	0	N1GL
N1GL sand	88	78	-	(80)	83	0	N1GL sand
N1GF	104	117	105	116	112	96	N1GF
N1KV	107	116	112	125	114	95	N1KV
N1GR	98	106	101	113	103	91	N1GR
N1GG	100	108	108	-	105	87	N1GG
N1PO	99	94	95	91	95	0	N1PO
N1PO sand	95	-	-	81	90	0	N1PO sand
N1XO	114	118	111	116	114	0	N1XO
N1BO	112	119	116	130	119	88	N1BO
N2	78	91	85	89	86	0	N2
NOG 4/	67	91	87	98	89	0	NOG 4/
NOG-F sand	88	-	-	87	89	0	NOG-F sand
"W"	99	119	124	112	113	0	"W"
"U"	99	102	100	111	104	0	"U"

1/ Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded.

2/ For key to standard trademarks see brief of classification on page 29.

3/ Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, North Carolina.

4/ Includes NOG, NOG-F and scrap (S).

Table 15--1980 average prices by weeks on representative grades and season averages, 1980 and 1979 crops

Group and grade	Week ending							
	July 31	Aug. 7	Aug. 14	Aug. 21	Aug. 28	Sept. 4	Sept. 11	Sept. 18
B4L	-	-	-	-	165	166	166	172
B3F	-	-	-	-	166	167	166	173
B4F	-	-	-	166	166	166	166	170
B5F	-	-	-	-	165	164	165	167
B4K	-	-	-	152	158	162	164	165
B5K	-	-	-	-	154	155	157	157
B6K	-	-	-	-	140	-	145	142
B4V	-	-	-	163	162	165	164	166
B5V	-	-	-	-	153	160	161	161
B4KL	-	-	-	157	162	159	162	168
B3KF	-	-	-	-	-	-	165	166
B4KF	-	149	-	-	157	157	160	160
B5KF	-	-	-	-	142	153	151	147
B6KF	-	-	-	-	-	-	138	132
B4KV	-	-	-	-	147	155	154	156
B5KV	-	-	-	-	141	146	144	145
B6KV	-	-	-	-	125	133	136	131
B3KM	-	-	-	164	164	166	166	170
B4KM	-	-	158	162	164	164	164	165
B5KM	-	-	-	162	156	161	157	156
B4GK	-	-	-	141	154	151	152	152
B5GK	-	-	-	133	137	143	143	138
B6GK	-	-	-	-	123	128	137	126
H4F	-	-	-	-	-	166	166	171
H5K	-	-	-	-	-	160	165	164
C4L	-	164	164	166	166	166	166	173
C5L	157	159	161	164	166	166	166	170
C4F	-	-	164	165	166	166	166	173
C5F	-	-	159	164	165	166	166	170
C4V	-	156	158	163	165	166	165	168
C4KM	-	155	158	164	165	166	165	169
C4CK	-	134	139	156	147	153	151	154
X3L	159	158	160	164	166	166	166	172
X4L	150	152	154	158	161	163	164	166
X5L	-	139	143	144	147	151	153	151
X3F	-	160	160	163	166	166	166	169
X4F	149	153	154	159	162	164	164	164
X5F	-	137	142	143	146	151	153	152
X3V	149	153	154	159	162	165	165	166
X4V	143	147	149	150	156	158	159	161
X4KV	-	-	133	133	138	141	149	146
X3KM	145	153	156	162	164	163	166	-
X4KM	138	146	150	155	155	157	160	161
X4GK	126	135	136	136	136	140	139	154
X4G	-	136	138	135	139	141	148	148
X5G	-	123	127	128	129	135	133	137
P3L	133	139	140	150	155	157	-	-
P4L	121	125	129	133	140	143	145	145
P5L	103	109	110	113	115	108	-	-
P3F	134	136	145	152	151	-	-	-
P4F	123	124	128	131	138	138	140	139
P5F	104	106	112	114	116	116	122	119
P4G	115	112	118	117	117	109	-	128
P5C	100	100	105	100	103	107	-	-
N1L	96	92	102	95	97	92	99	99
N1XL	-	-	104	104	107	113	119	125
N1K	-	-	-	-	-	-	129	126
N1GL	98	93	95	92	93	90	102	108
N1KV	-	-	-	-	117	121	117	111
N1GR	-	-	-	-	-	-	105	112
N1PO	95	101	99	99	102	-	-	105
N2	92	78	78	74	79	78	80	84

Type 11

Table 15--1980 average prices by weeks on representative grades and season averages, 1980 and 1979 crops

Group and grade	Week ending						Season	
	Sept. 25	Oct. 2	Oct. 9	Oct. 1/ 23	Oct. 30	Nov. 2/ 6	1980	1979
B4L	174	178	180	182	182	-	173	153
B3F	177	180	182	181	184	182	175	155
B4F	174	178	179	180	177	176	173	153
B5F	170	172	174	174	172	165	170	148
B4K	166	168	167	168	163	157	165	144
B5K	158	157	155	154	152	148	156	138
B6K	143	142	142	142	142	139	142	132
B4V	170	174	173	176	174	163	168	147
B5V	162	164	164	166	164	147	161	141
B4KL	169	172	171	167	162	-	166	141
B3KF	169	168	168	174	163	-	168	143
B4KF	160	160	159	159	156	149	159	138
B5KF	149	147	143	145	144	140	146	133
B6KF	133	134	132	132	131	129	132	128
B4KV	156	154	151	151	151	142	153	138
B5KV	143	142	136	140	142	134	141	133
B6KV	129	133	128	126	127	125	129	129
B3KM	172	173	174	175	174	-	169	148
B4KM	168	169	168	169	164	153	165	144
B5KM	160	158	154	161	154	145	157	138
B4GK	144	151	143	144	144	138	149	132
B5GK	138	139	131	132	134	131	136	129
B6GK	127	125	121	122	121	119	123	124
H4F	174	178	181	182	182	175	173	154
H5K	166	167	169	166	165	150	164	142
C4L	176	180	181	182	183	182	170	154
C5L	174	178	180	181	178	174	166	150
C4F	176	180	180	181	181	179	171	154
C5F	174	177	179	180	179	172	169	152
C4V	175	179	177	178	178	168	166	148
C4KM	174	177	177	176	173	157	166	148
C4GK	-	-	-	-	-	-	148	138
X3L	-	181	-	181	182	-	165	149
X4L	171	175	175	175	174	164	160	141
X5L	157	-	-	-	-	140	147	132
X3F	174	179	179	180	182	173	167	151
X4F	169	174	175	175	170	162	163	145
X5F	155	159	158	162	156	145	150	135
X3V	-	-	-	-	-	-	159	142
X4V	165	159	166	170	163	155	155	137
X4KV	146	144	149	153	150	140	142	132
X3KM	-	-	-	-	-	-	158	142
X4KM	164	164	167	168	158	147	153	136
X4GK	-	-	-	153	141	130	137	127
X4G	-	154	-	154	-	-	140	126
X5G	134	132	136	143	131	131	132	120
P3L	-	-	-	-	-	-	141	128
P4L	-	-	131	144	-	-	129	121
P5L	-	-	-	-	104	-	110	112
P3F	-	-	-	-	-	-	143	129
P4F	145	138	147	146	126	128	130	121
P5F	118	127	126	126	108	101	113	113
P4G	-	-	-	-	-	-	116	112
P5G	-	-	-	-	-	-	102	106
N1L	112	104	101	105	98	87	98	105
N1XL	126	117	122	119	122	108	115	119
N1K	123	119	116	116	114	110	117	126
N1GL	112	101	106	111	93	96	96	101
N1KV	118	110	103	105	100	104	107	124
N1GR	105	100	96	96	95	100	98	120
N1PO	-	-	-	-	-	-	99	100
N2	92	85	76	75	75	78	78	90

1/ No sales held previous week (Oct. 14-16) due to marketing holiday.

2/ No averages shown after week of November 6 due to limited sales.

Table 16--1980 average prices by weeks on representative grades and season averages, 1980 and 1979 crops

Group and grade	Week ending							
	July 31	Aug. 7	Aug. 14	Aug. 21	Aug. 28	Sept. 4	Sept. 11	Sept. 18
B4L	-	-	163	164	166	166	166	173
B3F	-	-	-	165	167	167	169	172
B4F	-	-	164	164	166	166	166	171
B5F	-	-	-	162	164	164	165	169
B4K	-	-	-	157	159	164	163	165
B5K	-	-	-	151	155	159	158	159
B6K	-	-	-	-	146	148	150	149
B4V	-	-	152	161	163	165	165	168
B4KL	-	-	-	157	160	165	163	166
B3KF	-	-	-	-	163	162	165	162
B4KF	-	-	-	158	158	161	158	159
B5KF	-	-	153	151	152	158	153	151
B6KF	-	-	-	-	145	143	142	140
B4KV	-	-	-	153	151	160	158	158
B5KV	-	-	-	149	147	154	151	147
B6KV	-	-	147	132	139	146	144	136
B3KM	-	152	157	163	165	166	166	169
B4KM	148	154	156	159	160	164	163	164
B5KM	-	-	150	156	154	161	159	159
B6KM	-	-	-	143	146	156	153	152
B4GK	-	137	145	149	148	156	151	149
B5GK	-	-	137	140	140	146	146	145
B6GK	-	-	123	126	130	137	138	134
C4L	-	164	164	165	166	166	169	175
C5L	-	-	160	163	164	166	166	170
C4F	-	164	164	165	166	167	167	173
C5F	-	158	160	163	165	166	166	170
C4V	-	155	159	161	163	165	166	171
C4KM	-	154	156	162	164	165	166	170
C4GK	131	143	147	151	150	164	164	-
X3L	158	158	162	163	166	166	-	-
X4L	148	149	153	155	161	164	162	165
X5L	136	135	140	143	142	156	157	163
X3F	158	158	160	164	166	166	166	-
X4F	148	150	154	157	160	164	163	166
X5F	136	136	140	142	146	155	153	157
X3V	148	150	156	160	161	166	-	-
X4V	142	143	149	150	153	161	161	162
X4KV	126	129	133	140	143	147	148	149
X3KM	143	150	156	158	162	166	164	-
X4KM	139	141	147	151	153	161	160	162
X4GK	129	127	136	137	141	150	146	146
X4G	128	130	136	139	144	154	146	-
X5G	121	123	127	126	135	145	138	137
P3L	122	127	143	134	-	-	-	-
P4L	113	114	127	128	142	-	-	148
P5L	98	101	108	123	128	-	-	-
P4F	114	115	126	126	134	143	130	-
P5F	100	101	108	111	118	122	-	-
P4G	104	105	115	116	113	-	-	-
P5G	94	93	103	104	110	-	-	-
N1L	91	89	98	98	106	111	99	118
N1XL	102	103	107	110	123	131	128	140
N1K	-	-	-	-	125	131	136	140
N1R	-	-	-	-	-	-	-	115
N1GL	81	89	98	106	110	123	117	130
N1GF	-	-	-	110	113	122	116	122
N1KV	-	-	-	109	120	129	132	129
N1GR	-	-	-	-	106	-	122	117
N1PO	88	86	96	99	107	-	-	-
N1BO	-	-	-	-	143	-	-	129
N2	75	72	83	88	98	104	99	114

Table 16--1980 average prices by weeks on representative grades and season averages, 1980 and 1979 crops

Group and grade	Week ending							Season	
	Sept. 25	Oct. 2	Oct. 9	Oct. 1/23	Oct. 30	Nov. 6	Nov. 2/13	1980	1979
B4L	177	178	180	180	179	176	-	171	152
B3F	178	179	180	180	180	179	-	174	155
B4F	175	178	178	179	177	175	174	172	153
B5F	174	175	175	176	174	167	160	170	150
B4K	170	167	169	173	171	160	157	166	146
B5K	161	159	156	161	161	151	145	158	139
B6K	151	148	144	144	143	140	135	146	133
B4V	174	173	174	172	177	165	169	167	145
B4KL	171	169	168	169	173	154	-	165	142
B3KF	174	171	170	171	170	155	-	168	144
B4KF	165	163	156	161	158	149	147	159	139
B5KF	154	151	146	149	147	141	140	149	134
B6KF	143	138	135	135	136	130	128	136	130
B4KV	160	155	158	158	162	149	-	157	136
B5KV	153	147	147	150	144	140	134	149	132
B6KV	139	138	133	135	130	125	125	134	128
B3KM	175	175	177	175	176	170	-	169	149
B4KM	170	169	169	171	170	162	159	165	145
B5KM	165	162	162	163	160	150	149	160	139
B6KM	156	146	146	154	144	135	137	147	133
B4GK	156	152	153	160	162	143	137	152	135
B5GK	145	142	142	145	140	132	129	142	130
B6GK	136	129	126	128	126	122	120	129	125
C4L	179	180	180	180	182	180	176	170	153
C5L	175	179	179	179	180	175	167	167	149
C4F	178	180	180	180	181	178	178	170	154
C5F	176	176	178	179	180	174	168	168	151
C4V	178	180	177	178	179	174	-	163	147
C4KM	175	177	177	179	178	171	167	166	147
C4GK	165	171	-	170	169	156	-	153	135
X3L	-	-	179	-	-	177	-	162	146
X4L	171	-	-	174	177	168	-	155	137
X5L	165	165	168	-	-	153	-	144	129
X3F	175	177	180	180	177	177	175	164	148
X4F	170	173	172	159	170	165	168	158	141
X5F	161	165	158	159	159	148	146	145	131
X3V	-	-	-	-	-	178	-	156	138
X4V	-	-	176	172	-	166	-	150	132
X4KV	147	154	-	161	143	146	141	142	127
X3KM	-	172	-	178	178	170	-	158	138
X4KM	166	163	166	167	166	155	147	151	133
X4GK	152	146	153	148	153	140	142	137	125
X5G	145	141	134	147	142	129	131	129	119
P3L	-	-	-	-	-	-	-	126	122
P4L	-	149	-	129	147	138	135	118	116
P5L	-	-	-	-	-	-	114	105	109
P4F	-	-	140	147	149	130	123	120	117
P5F	131	-	124	121	130	116	115	107	110
P4G	-	-	-	-	133	-	-	107	109
P5G	-	-	-	-	-	108	-	97	104
N1L	115	94	107	94	110	96	97	98	105
N1XL	131	131	134	131	126	108	109	117	115
N1K	133	126	118	121	122	111	110	122	127
N1R	120	122	109	112	108	106	102	112	120
N1GL	127	110	119	111	113	97	99	101	102
N1GF	124	120	120	112	109	109	111	117	116
N1KV	133	121	114	116	111	108	111	116	123
N1GR	117	106	107	104	104	100	108	106	121
N1PO	-	-	-	-	102	93	96	94	103
N1BO	134	125	119	118	116	109	111	119	126
N2	110	101	94	90	90	86	95	91	93

1/ No sales held previous week (Oct. 14-16) due to marketing holiday.

2/ No averages shown after week of November 13 due to limited sales.

Type 13

Table 17--1980 average prices by weeks on representative grades and season averages, 1980 and 1979 crops

Group and grade	Week ending						
	July 31	Aug. 7	Aug. 14	Aug. 21	Aug. 28	Sept. 4	Sept. 11
B4L	-	-	-	-	166	-	165
B3F	-	-	166	166	166	166	166
B4F	-	-	163	165	165	166	166
B5F	-	-	158	158	162	165	165
B4K	-	-	-	154	158	161	162
B5K	-	-	-	150	152	155	156
B6K	-	-	-	137	-	146	144
B4V	-	151	151	158	159	165	163
B4KL	-	-	-	153	159	160	161
B4KF	-	144	146	150	151	154	156
B5KF	-	-	141	143	143	145	147
B6KF	-	-	129	131	132	135	134
B4KV	-	-	142	146	147	150	154
B5KV	-	-	135	135	139	143	144
B6KV	-	-	127	127	129	131	131
B3KM	-	156	156	161	162	164	166
B4KM	147	150	151	156	158	161	160
B5KM	141	142	144	147	152	156	156
B6KM	134	-	-	131	137	144	140
B4GK	-	136	135	142	142	143	145
B5GK	-	129	129	134	134	135	135
B6GK	-	-	122	123	122	127	125
C4L	-	165	165	166	166	166	166
C5L	158	158	161	163	165	166	166
C4F	-	165	165	166	166	166	166
C5F	-	158	159	164	165	166	166
C4V	152	154	157	161	164	165	165
C4KM	150	153	156	159	162	165	165
C4GK	142	142	139	141	152	152	153
X3L	158	158	161	165	166	-	166
X4L	149	150	155	157	160	164	165
X5L	135	139	143	141	149	157	149
X3F	158	159	162	165	165	166	166
X4F	149	150	154	157	160	164	164
X5F	136	138	140	143	145	153	153
X3V	148	150	153	160	161	158	-
X4V	141	144	147	149	154	160	161
X4KF	-	136	139	138	141	141	148
X4KV	129	129	129	134	138	142	146
X3KM	145	148	154	157	158	161	165
X4KM	138	141	145	149	151	156	157
X4GK	124	127	129	133	140	138	140
X4G	130	131	130	135	136	143	142
X5G	121	124	124	124	130	131	134
P3L	132	132	147	-	-	-	-
P4L	117	120	130	137	126	-	137
P5L	101	103	111	-	-	-	-
P4F	116	117	126	125	124	132	135
P5F	103	103	106	105	96	101	115
P4G	105	103	109	103	109	107	-
P5G	94	90	95	93	97	90	-
N1L	94	91	96	99	96	95	93
N1XL	99	106	113	106	110	123	119
N1K	-	-	-	-	-	132	124
N1GL	86	81	86	94	92	97	100
N1GF	-	-	-	102	100	100	109
N1KV	-	-	107	102	112	109	115
N1GR	-	-	-	-	102	106	103
N1PO	88	94	94	99	-	-	-
N1XO	107	103	106	107	111	1111	126
N1BO	-	-	-	-	119	132	123
N2	74	72	77	78	76	81	88

Type 13

Table 17--1980 averages prices by weeks on representative grades and season averages, 1980 and 1979 crops

Group and grade	Week ending							Season	
	Sept. 18	Sept. 25	Oct. 2	Oct. 9	Oct. 23	Oct. 1/ 23	Oct. 30	1980	1979
B4L	168	174	180	180	—	—	—	170	152
B3F	173	175	178	181	—	185	182	172	154
B4F	170	174	177	178	179	182	182	170	153
B5F	167	172	173	172	174	175	175	167	150
B4K	164	168	166	163	172	171	171	164	146
B5K	156	159	156	153	158	157	157	156	140
B6K	149	148	141	144	146	148	148	145	132
B4V	166	171	172	175	174	180	180	164	146
B4KL	163	169	166	161	176	170	170	162	144
B4KF	159	164	162	155	163	164	164	157	142
B5KF	148	151	147	146	148	149	149	147	135
B6KF	136	137	136	132	135	132	132	135	128
B4KV	155	156	155	147	154	158	158	152	139
B5KV	147	148	144	141	145	144	144	144	133
B6KV	135	136	131	129	132	131	131	132	127
B3KM	—	—	175	—	140	—	—	161	149
B4KM	164	170	170	167	172	169	169	160	145
B5KM	158	163	159	156	157	155	155	155	140
B6KM	143	151	145	144	139	140	140	142	130
B4GK	149	154	145	139	149	—	—	143	134
B5GK	140	138	138	134	139	139	139	136	129
B6GK	129	127	124	122	125	124	124	125	122
C4L	172	175	—	180	182	—	—	169	152
C5L	—	—	—	—	179	—	—	165	147
C4F	171	175	178	179	180	183	183	170	152
C5F	169	175	175	175	180	181	181	167	148
C4V	171	—	—	175	—	—	—	162	145
C4KM	167	171	170	174	174	172	172	161	144
C4GK	—	—	—	—	—	—	—	144	135
X3L	171	—	—	—	—	—	—	162	146
X4L	168	173	—	177	177	172	172	157	136
X5L	163	167	—	—	164	171	171	146	128
X3F	170	175	—	180	181	—	—	164	147
X4F	165	169	171	175	176	174	174	159	139
X5F	158	160	156	162	164	165	165	147	130
X3V	—	175	—	—	—	—	—	155	139
X4V	161	166	—	—	—	—	—	149	131
X4KF	145	151	—	150	—	—	—	143	129
X4KV	147	151	149	155	148	146	146	138	127
X3KM	167	171	—	—	—	—	—	154	138
X4KM	161	162	163	155	164	165	165	149	132
X4GK	143	146	—	129	140	141	141	131	121
X4G	—	144	—	—	—	—	—	133	123
X5G	139	138	136	130	141	—	—	127	118
P3L	—	—	—	—	—	—	—	133	124
P4L	—	—	—	—	—	—	153	122	117
P5L	—	—	—	—	—	—	—	105	111
P4F	136	139	141	—	157	139	139	121	120
P5F	126	—	118	—	128	111	111	104	113
P4G	—	—	—	—	—	—	—	106	111
P5G	—	—	—	—	—	—	—	94	106
N1L	112	111	105	98	107	95	95	96	101
N1XL	132	131	131	132	131	124	124	118	114
N1K	127	125	118	113	117	119	119	118	120
N1GL	105	107	108	104	106	102	102	90	101
N1GF	115	107	109	100	101	110	110	105	112
N1KV	120	121	116	105	111	110	110	112	108
N1GR	107	113	97	96	97	106	106	101	(122)3/
N1PO	—	—	—	—	100	—	—	95	104
N1XO	141	—	128	—	—	—	—	111	112
N1BO	131	129	115	111	108	110	110	116	128
N2	106	99	91	87	85	87	87	85	90

1/ No sales held previous week (Oct. 14-16) due to marketing holiday.

2/ No averages shown after week of October 30 due to limited sales.

3/ Averages are shown in parentheses when at least 10 but less than 20 lots were recorded.

Table 18--1980 average prices by weeks on representative grades and season averages, 1980 and 1979 crops

Group and grade	Week ending										Season		
	July 24	July 31	Aug. 7	Aug. 14	Aug. 21	Aug. 28	Sept. 4	Sept. 11	Sept. 18	Sept. 25	1/	1980	1979
B3F	-	166	166	-	166	166	-	-	-	-	-	166	155
B4F	-	163	163	165	166	166	166	165	166	174	-	165	154
B5F	-	163	160	164	165	164	166	165	166	171	-	165	153
B4K	-	-	158	160	161	162	163	165	166	168	-	162	150
B5K	-	-	148	153	155	158	158	161	163	161	-	158	145
B6K	-	-	-	143	144	149	152	152	153	145	-	150	139
B4KR	-	-	157	161	165	165	164	-	166	-	-	163	150
B4V	-	156	158	156	162	162	164	166	166	-	-	160	149
B5V	-	-	153	149	157	154	163	164	165	-	-	157	144
B4KL	-	152	148	154	156	157	157	-	-	-	-	153	145
B5KL	-	-	143	146	150	150	155	160	-	162	-	152	138
B4KF	-	-	148	153	150	155	157	162	164	166	-	156	144
B5KF	-	-	143	144	146	146	150	152	153	154	-	149	139
B6KF	-	-	133	137	131	136	140	138	142	137	-	138	132
B4KV	-	-	147	147	149	152	161	159	165	-	-	154	141
B5KV	-	147	138	141	144	145	150	151	155	149	-	148	136
B6KV	-	-	139	138	134	138	141	140	144	136	-	139	132
B3KM	-	159	157	162	163	166	165	166	166	-	-	161	148
B4KM	-	156	153	157	160	161	164	164	165	170	-	159	147
B5KM	-	152	146	151	153	154	159	159	162	159	-	156	142
B6KM	-	132	137	139	135	144	151	145	149	142	-	144	136
B4GK	-	143	138	138	144	149	149	155	153	160	-	144	136
B5GK	-	135	133	133	139	144	145	145	146	149	-	139	132
B6GK	-	-	128	132	123	129	130	130	134	128	-	129	127
C4L	164	164	165	165	-	-	-	-	-	-	-	165	153
C5L	158	160	161	163	165	165	-	-	-	-	-	160	150
C4F	164	164	165	166	166	-	-	-	-	-	-	165	153
C5F	158	160	161	164	164	165	166	-	-	-	-	162	150
C4V	155	154	155	161	161	-	-	-	-	-	-	156	149
C4KM	153	155	155	158	163	163	165	165	-	-	-	157	146
C4GK	137	138	141	135	142	-	151	-	-	-	-	140	137
X3L	158	159	160	-	-	-	-	-	-	-	-	159	150
X4L	154	151	152	155	159	159	-	-	-	-	-	153	141
X5L	148	139	142	145	147	-	-	-	-	-	-	144	129
X3F	159	160	160	165	165	-	-	-	-	-	-	160	151
X4F	153	154	153	156	157	160	160	-	-	-	-	154	143
X5F	143	141	142	146	150	153	146	145	148	-	-	145	134
X4V	146	144	143	148	149	158	-	-	-	-	-	147	136
X4KV	136	132	133	137	131	137	150	141	-	-	-	136	126
X3KM	149	151	149	146	156	-	-	-	-	-	-	150	142
X4KM	142	144	143	148	146	151	147	157	-	163	-	145	136
X4GK	128	131	129	128	135	144	134	145	-	-	-	131	127
X4G	130	129	134	131	134	138	-	-	-	-	-	132	126
X5G	122	123	127	125	126	129	132	-	123	-	-	126	116
P3L	133	134	-	141	-	-	-	-	-	-	-	134	128
P4L	121	120	122	128	-	-	-	-	-	-	-	121	116
P5L	101	107	112	113	-	-	-	-	-	-	-	106	106
P3F	137	135	-	144	-	-	-	-	-	-	-	137	129
P4F	123	126	124	121	125	131	118	-	-	-	-	124	116
P5F	103	108	106	100	105	123	117	148	-	-	-	106	107
P4G	109	106	106	99	98	103	-	-	-	-	-	106	110
P5G	77	91	88	91	92	-	-	-	-	-	-	87	100
N1L	87	91	95	105	100	114	112	115	94	113	-	96	97
N1XL	106	97	111	107	114	133	132	-	-	-	-	114	119
N1K	-	-	-	-	124	143	129	133	138	136	-	136	132
N1GL	80	87	87	95	106	108	114	98	99	121	-	94	100
N1GF	-	-	109	112	111	120	118	119	111	116	-	116	116
N1KV	-	-	-	115	116	122	124	125	131	125	-	125	127
N1PO	90	89	89	96	89	78	-	-	-	-	-	91	96
N1XO	106	95	115	114	130	133	-	109	-	-	-	116	116
N1BO	-	-	113	125	139	134	132	131	134	129	-	130	132
N2	74	71	75	87	92	93	95	96	95	106	-	89	94

1/ No averages shown after week of September 25 due to limited sales.

BRIEF OF FLUE-CURED TOBACCO GRADES

Type 11--Old Belt and Middle Belt flue-cured tobacco produced principally in the piedmont sections of Virginia and North Carolina.

Type 12--Eastern North Carolina flue-cured tobacco produced principally in the coastal sections of North Carolina.

Type 13--South Carolina and Border North Carolina flue-cured tobacco produced principally in the coastal sections of South Carolina and the southeastern counties of North Carolina.

Type 14--Georgia and Florida flue-cured tobacco produced principally in southern Georgia and northern Florida.

KEY TO STANDARD TRADEMARKS

<u>Groups</u>	<u>Qualities</u>	<u>Color symbols</u>		<u>Combination symbols</u>
A - Wrappers	1 - Choice	L - Lemon	V - Greenish	XL - Lug side
B - Leaf	2 - Fine	F - Orange	GR - Green red	PO - Oxidized primings
H - Smoking leaf	3 - Good	FR - Orange red	GK - Green variegated	XO - Oxidized lugs or cutters
C - Cutters	4 - Fair	R - Red	GG - Gray green	BO - Oxidized leaf
X - Lugs	5 - Low	K - Variegated	KL - Variegated lemon	GL - Thin-bodied nondescript
P - Primings	6 - Poor	KR - Variegated red or scorched	KF - Variegated orange KV - Variegated greenish	GF - Medium-bodied nondescript
M - Mixed		G - Green	KM - Variegated mixed	
N - Nondescript				
S - Scrap			<u>Special symbol</u> S - slick	

SUMMARY OF STANDARD GRADES

<u>2 grades of wrappers</u>	<u>24 grades of leaf</u>	<u>16 grades of smoking leaf</u>	<u>10 grades of cutters</u>
ALL A1L	B1L B1F B1FR B2L B2F B2FR B3L B3F B3FR B3K B4L B4F B4FR B4R B4K B5L B5F B5FR B5R B5K B6L B6F B6FR B6K		H1F H2F H3L H3F H4L H4F H4FR H4K H5L H5F H5FR H5K H6L H6F H6FR H6K
<u>10 grades of lugs</u>	<u>8 grades of primings</u>	<u>6 grades of greenish</u>	<u>15 grades of variegated</u>
X1L X1F X2L X2F X3L X3F X4L X4F X5L X5F	P2L P2F P3L P3F P4L P4F P5L P5F	B3V X3V B4V C4V X4V B5V	B3KL B3KF B4KL B4KF B4KV C4KL X4KL X4KF X4KV B5KL B5KF B5KV B6KL B6KF B6KV
<u>7 grades of mixed</u>		<u>15 grades of green</u>	<u>7 grades of variegated mixed</u>
M4F M4KR M4KM M4GK M5F M5KM M5GK	B4G B4GK C4G X4G X4GK P4G B5G B5GR B5GK B5GG C4GK X5G P5G B6G B6GK		B3KM X3KM B4KM C4KM X4KM B5KM B6KM
<u>6 grades of variegated red or scorched</u>	<u>5 grades of slick</u>	<u>13 grades of nondescript</u>	<u>1 grade of scrap</u>
B3KR X3KR B4KR C4KR X4KR B5KR	B3S X3S B4S C4S B5S	N1L N1R N1KV N1PO N1XL N1GL N1GR N1XO N1K N1GF N1GG N1BO N2	S

Special factors "U" (unsound) and "W" (doubtful-keeping order) may be applied to all grades. Tobacco not covered by the standard grades is designated "No-G" or "No-G-F." Special factors "sand" or "dirt" may be applied to all priming grades and to first quality nondescript from the priming group beginning with the 1977 crop.

Table 19--Percentage distribution by groups for flue-cured types, 1976 to 1980

		Type 11							
Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
1976	-	59.1	1.8	6.9	14.0	9.9	-	7.6	0.7
1977	-	54.0	1.2	3.7	12.4	6.3	0.1	21.2	1.1
1978	-	56.3	2.8	11.5	14.1	8.6	-	5.6	1.1
1979	-	58.3	2.7	9.2	15.4	9.8	-	3.7	0.9
1980	-	51.7	1.4	9.7	17.7	9.7	-	9.4	0.4
Type 12									
1976	-	56.5	3.3	10.5	12.1	11.0	0.1	5.5	1.0
1977	-	47.7	1.1	3.8	12.6	6.0	-	27.7	1.1
1978	-	59.1	0.8	10.3	14.3	8.7	0.1	5.8	0.9
1979	-	58.7	0.6	10.8	16.9	7.9	-	4.5	0.6
1980	-	55.5	0.2	8.3	17.4	6.9	-	11.2	0.5
Type 13									
1976	-	55.1	4.9	10.9	10.1	11.7	-	5.3	2.0
1977	-	50.1	1.2	5.5	16.2	6.8	0.3	18.0	1.9
1978	-	61.1	0.9	8.7	15.4	8.4	-	4.5	1.0
1979	-	59.8	0.5	10.9	18.6	5.7	-	3.5	1.0
1980	-	50.0	0.4	5.1	21.6	7.6	0.2	13.7	1.4
Type 14									
1976	-	56.6	3.6	5.8	11.0	15.4	-	4.6	3.0
1977	-	48.8	1.4	3.6	10.6	6.6	-	21.1	7.9
1978	-	55.0	1.6	8.4	14.2	8.4	-	9.9	2.5
1979	-	56.2	2.0	5.4	15.8	11.9	-	6.5	2.2
1980	-	54.2	0.9	6.9	13.6	9.8	0.2	12.0	2.4

Table 20--Percentage distribution by qualities for flue-cured types, 1976 to 1980

Type 11								
Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
1976	-	0.4	10.2	50.4	26.7	4.0	7.6	0.7
1977	0.1	0.3	4.6	31.0	29.6	12.1	21.2	1.1
1978	0.1	0.8	12.9	52.6	24.4	2.5	5.6	1.1
1979	-	0.8	14.3	56.9	21.1	2.3	3.7	0.9
1980	-	0.2	6.5	46.2	30.8	6.5	9.4	0.4
Type 12								
1976	0.6	2.3	24.5	49.0	15.7	1.4	5.5	1.0
1977	0.1	0.4	5.8	27.2	25.1	12.6	27.7	1.1
1978	0.1	0.6	16.2	51.4	22.1	2.9	5.8	0.9
1979	-	0.3	13.7	56.7	21.4	2.8	4.5	0.6
1980	-	0.2	6.4	42.0	29.5	10.2	11.2	0.5
Type 13								
1976	0.1	1.0	17.9	52.1	20.4	1.2	5.3	2.0
1977	-	0.2	4.4	40.0	30.4	5.1	18.0	1.9
1978	-	0.3	10.9	51.1	29.4	2.8	4.5	1.0
1979	-	0.3	15.5	57.6	21.0	1.1	3.5	1.0
1980	-	-	4.5	39.4	30.3	10.7	13.7	1.4
Type 14								
1976	0.1	1.1	21.4	48.6	19.3	1.9	4.6	3.0
1977	-	0.1	4.0	30.6	28.2	8.1	21.1	7.9
1978	-	0.2	8.5	43.7	27.9	7.3	9.9	2.5
1979	-	0.5	11.0	47.1	28.9	3.8	6.5	2.2
1980	-	0.1	4.7	38.2	32.3	10.3	12.0	2.4

Table 21--Percentage distribution by colors for flue-cured types, 1976 to 1980 crops

Type 11											
Crop year	L	F	FR	R	K	K(sf)	V	S	G	Nondescript	Misc.
1976	8.5	26.8	0.7	0.1	18.3	25.1	4.5	-	7.7	7.6	0.7
1977	3.2	17.3	0.3	0.3	10.6	31.5	3.5	-	11.0	21.2	1.1
1978	12.2	29.3	0.6	-	14.2	27.2	4.0	0.3	5.5	5.6	1.1
1979	10.2	32.0	1.1	0.1	16.2	26.5	4.2	-	5.1	3.7	0.9
1980	9.2	25.5	-	-	9.6	33.1	4.9	-	7.9	9.4	0.4

Type 12											
Crop year	L	F	FR	R	K	K(sf)	V	S	G	Nondescript	Misc.
1976	9.9	38.7	4.4	-	17.6	14.4	3.3	0.1	5.1	5.5	1.0
1977	4.4	14.6	0.9	0.1	11.8	27.0	2.4	-	10.0	27.7	1.1
1978	9.9	20.8	0.6	-	7.1	42.7	3.4	0.4	8.4	5.8	0.9
1979	8.5	20.3	1.0	-	8.2	45.1	3.1	0.2	8.5	4.5	0.6
1980	6.5	15.5	0.2	-	4.9	45.1	3.6	-	12.5	11.2	0.5

Type 13											
Crop year	L	F	FR	R	K	K(sf)	V	S	G	Nondescript	Misc.
1976	10.4	46.6	0.3	-	14.4	12.1	4.2	0.3	4.4	5.3	2.0
1977	6.5	19.4	0.1	-	13.9	25.9	3.6	-	10.7	18.0	1.9
1978	10.1	27.7	0.1	-	10.3	33.1	5.6	0.2	7.4	4.5	1.0
1979	8.9	29.5	0.2	-	8.9	35.1	6.9	0.3	5.7	3.5	1.0
1980	5.0	15.9	-	-	9.1	38.4	4.1	-	12.4	13.7	1.4

Type 14											
Crop year	A	B	H	C	X	P	M	N	Misc.	Group	
	Wrappers	Leaf	S. Leaf	Cutters	Lugs	Primings	Mixed	Nondescript	Misc.		
1976	-	57.1	3.0	8.9	12.1	11.4	-	6.1	1.4		
1977	-	50.4	1.2	4.1	13.0	6.3	0.1	22.7	2.2		
1978	-	58.2	1.6	10.1	14.4	8.5	-	6.0	1.2		
1979	-	58.5	1.4	9.7	16.6	8.5	-	4.3	1.0		
1980	-	53.1	0.7	7.9	17.9	8.2	-	11.3	0.9		

Quality											
Crop year	1	2	3	4	5	6	Poor	Nondescript	Misc.	Group	
	Choice	Fine	Good	Fair	Low	Poor					
1976	0.3	1.2	18.1	50.0	20.6	2.3	6.1	1.4			
1977	0.1	0.2	4.9	31.5	28.1	10.3	22.7	2.2			
1978	-	0.5	13.1	50.7	25.1	3.4	6.0	1.2			
1979	-	0.5	14.0	55.6	22.1	2.5	4.3	1.0			
1980	-	0.2	5.8	42.2	30.3	9.3	11.3	0.9			

Color											
Crop year	L	F	FR	R	K	K(sf)	V	S	G	Nondescript	Misc.
1976	10.4	36.2	2.0	-	16.4	17.5	4.0	0.2	5.8	6.1	1.4
1977	4.2	16.5	0.5	0.1	12.0	28.2	3.1	-	10.5	22.7	2.2
1978	10.2	24.8	0.5	-	10.6	34.6	4.3	0.3	7.5	6.0	1.2
1979	8.9	27.1	0.8	0.1	12.1	34.6	4.3	0.2	6.6	4.3	1.0
1980	7.0	18.2	0.1	-	7.8	39.5	4.0	0.1	11.1	11.3	0.9

Table 23--Percentage distribution by grades for flue-cured tobacco types 11-14, 1980 crop

Group and grade	1980 Crop				Group and grade	1980 Crop			
	11	12	13	14		11	12	13	14
Wrappers					Smoking leaf				
A1L	--	--	--	--	H3L	.030	.003	--	.007
A1F	--	--	--	--	H4L	.054	.016	.012	.018
Total A	--	--	--	--	H5L	.012	.004	.002	.010
Leaf					H6L	--	--	--	.008
B1L	.013	--	--	.004	H1F	--	--	--	--
B2L	.023	.015	.013	.017	H2F	.005	.002	.014	.005
B3L	.239	.178	.103	.126	H3F	.065	.027	.031	.025
B4L	.427	.360	.180	.191	H4F	.451	.080	.088	.127
B5L	.085	.059	.052	.150	H5F	.197	.025	.054	.196
B6L	.001	--	.001	.003	H6F	.014	--	.002	.009
B1F	.016	.001	--	--	H4FR	--	--	--	--
B2F	.080	.038	.009	.013	H5FR	.001	--	--	--
B3F	.997	.736	.366	.304	H6FR	--	--	--	--
B4F	5.055	2.715	2.302	2.099	H4K	.165	.020	.084	.094
B5F	2.128	.873	1.542	1.618	H5K	.294	.025	.099	.170
B6F	.046	.021	.044	.089	H6K	.094	.015	.026	.185
B1FR	--	--	--	--	Total H	1.382	.217	.412	.854
B2FR	--	--	--	--	Cutters				
B3FR	.002	.008	.002	--	C1L	--	.003	--	--
B4FR	.087	.103	.011	--	C2L	.007	.014	.005	--
B5FR	.054	.058	.028	--	C3L	.126	.138	.056	.030
B6FR	--	.002	.003	.018	C4L	.978	.701	.334	.591
B4R	--	--	--	--	C5L	1.061	.436	.413	.905
B5R	.011	.004	.011	--	C1F	--	.001	--	--
B3K	.187	.035	.086	.026	C2F	.007	.010	.002	--
B4K	3.901	1.649	3.306	2.669	C3F	.150	.130	.041	.009
B5K	3.662	2.063	3.661	4.934	C4F	1.456	1.122	.587	.456
B6K	.983	.748	1.470	2.125	C5F	2.483	.844	1.051	.990
B3KR	.017	.023	--	.053	C4KR	.070	.047	.056	.111
B4KR	.107	.105	.084	.350	C4V	.672	.661	.500	.547
B5KR	.053	.069	.050	.322	C4S	.028	.036	.015	.100
B3V	.127	.224	.176	.139	C4KL	.139	.128	.084	.092
B4V	1.694	1.016	1.130	.581	C4KM	2.164	3.395	1.478	2.306
B5V	.542	.221	.331	.363	C4G	.081	.161	.126	.161
B3S	.013	.007	.005	.052	C4CK	.291	.496	.386	.616
B4S	--	.006	.006	.053	Total C	9.713	8.323	5.134	6.914
B5S	--	--	--	.001	Lugs				
B3KL	.068	.118	.037	.109	X1L	.007	.004	--	--
B4KL	.339	.626	.304	.508	X2L	.039	.059	.023	.015
B5KL	.099	.279	.140	.380	X3L	.719	.627	.553	.361
B6KL	.007	.052	.013	.059	X4L	1.418	1.252	1.062	1.243
B3KF	.460	.332	.111	.060	X5L	.487	.559	.546	.272
B4KF	5.360	4.748	3.202	1.712	X1F	.010	.011	--	--
B5KF	6.478	8.548	6.243	4.297	X2F	.027	.030	.020	.001
B6KF	2.025	4.818	3.185	2.300	X3F	.884	.738	.683	.348
B4KV	1.034	.679	1.573	.606	X4F	3.923	2.583	2.837	1.936
B5KV	3.525	1.934	4.623	3.267	X5F	2.442	2.271	2.602	1.340
B6KV	1.759	1.554	4.094	3.012	X3KR	.018	.040	.019	.016
B3KM	.479	1.278	.367	1.029	X4KR	.040	.071	.050	.110
B4KM	3.876	6.956	3.538	7.184	X3V	.380	.389	.451	.253
B5KM	1.337	4.325	2.212	6.113	X4V	1.434	1.037	1.566	.999
B6KM	.074	.690	.341	.845	X3S	.009	.027	.015	.063
B4G	.198	.200	.156	.155	X4KL	.095	.090	.039	.099
B5G	.226	.204	.149	.156	X4KF	.207	.070	.333	.049
B6G	.036	.035	.015	.028	X4KV	1.384	.767	2.389	.653
B5GR	.033	.007	.017	.002	X3KM	.431	.692	.864	.523
B4GK	.670	1.354	1.060	1.862	X4KM	1.721	3.050	3.239	2.221
B5GK	1.587	3.103	2.167	2.626	X4GK	.664	1.250	1.944	1.681
B6GK	1.414	2.268	1.481	1.578	X4G	.492	.696	.851	.668
B5GG	.018	.057	.020	.003	X5G	.861	1.037	1.501	.746
Total B	51.652	55.502	50.020	54.191	Total X	17.692	17.350	21.587	13.597

Table 23--Percentage distribution by grades for flue-cured tobacco types 11-14, 1980 crop--continued

Group and grade	1980 Crop				Group and grade	1980 Crop				
	11	12	13	14		11	12	13	14	
Primings										
P2L	.045	.036	.004	.075	Nondescript	1.022	.765	.727	.957	
P2L sand	--	--	--	--	N1L	.054	.007	.002	.022	
P3L	.737	.441	.354	.691	N1L sand	.657	.493	.606	.385	
P3L sand	.023	.004	--	.009	N1XL	.370	.712	1.241	1.152	
P4L	1.758	1.166	1.002	1.925	N1K	.119	.396	.180	.108	
P4L sand	.155	.008	.006	.046	N1GL	1.181	1.214	1.958	1.540	
P5L	.596	.417	.265	.633	N1GL sand	.024	.014	.001	.015	
P5L sand	.057	.006	--	.010	N1GF	.186	.587	.432	.871	
P2F	.008	.001	.002	.017	N1KV	1.135	1.144	3.253	1.960	
P2F sand	--	--	--	.001	N1GR	.821	1.004	.665	.474	
P3F	.302	.184	.157	.409	N1GG	.015	.045	.021	.004	
P3F sand	.007	.003	.001	.011	N1PO	.461	.359	.364	.718	
P4F	2.731	1.782	2.167	2.241	N1PO sand	.023	.003	.002	.025	
P4F sand	.159	.015	.019	.081	N1XO	.182	.239	.390	.319	
P5F	1.746	1.249	1.288	1.668	N1BO	.316	.891	.547	.848	
P5F sand	.141	.004	.004	.048	N2	2.814	3.279	3.347	2.577	
P4G	.700	.801	1.247	.975	Total N	9.380	11.152	13.736	11.975	
P4G sand	.028	.005	--	.021	No grade	.199	.413	.565	.893	
P5G	.504	.738	1.084	.906	NOGF sand	.033	.001	--	.038	
P5G sand	.034	.006	.003	.009	W - unsafe	.047	.027	.051	.151	
Total P	9.731	6.866	7.603	9.776	U - unsound	.170	.108	.734	1.362	
Mixed										
M4F	--	.001	.005	.011	Grand total				100.000	
M5F	--	.005	.012	.008	100.000				100.000	
M4KM	--	.009	--	.039	100.000				100.000	
M5KM	.001	.013	.030	.078	100.000				100.000	
M4GK	--	.004	.018	.002	100.000				100.000	
M5GK	--	.009	.093	.111	100.000				100.000	
Total M	.001	.041	.158	.249						

Table 24--Breakdown of marketings by selected groupings for the 1980 crop

Groupings	Types				
	11	12	13	14	11-14
Straight grades (mature to mellow)	49.222	30.650	34.084	35.465	37.078
Variegated (KL,KF,KV,KM)	33.062	45.142	38.439	37.541	39.470
Slick (S grades)	.037	.049	.041	.269	.085
Green (includes rank)	7.850	12.458	12.350	12.306	11.103
Nondescript	9.380	11.152	13.736	11.975	11.328
No grade 1/ Total:	.449	.549	1.350	2.444	.936
	100.000	100.000	100.000	100.000	100.000

1/ Includes tobacco defined as decayed, botched, off-type, and nested; also unsafe keeping order and unsound. Also includes grade NOGF.

Table 25--Percentage distribution by grades for all flue-cured types, 1978-80 crops

Group and grade	Crop of:			Group and grade	Crop of:		
	1978	1979	1980		1978	1979	1980
Wrappers:				B4G	.226	.204	.185
All	---	---	---	B5G	.151	.121	.193
AlF	---	---	---	B6G	.023	.014	.030
Total A	---	---	---	Total BG	.400	.339	.408
Leaf:				B5GR	.008	.012	.016
B1L	.008	.002	.004	B4GK	1.656	1.857	1.167
B2L	.089	.027	.017	B5GK	1.696	1.313	2.430
B3L	.536	.356	.173	B6GK	.569	.314	1.790
B4L	.726	.518	.319	Total BGK	3.921	3.484	5.387
B5L	.150	.106	.076	B5GG	.077	.034	.032
B6L	.001	.005	.001	Total B	58.157	58.470	53.141
Total BL	1.510	1.014	.590	Smoking leaf:			
B1F	.008	.008	.005	H3L	.020	.003	.011
B2F	.108	.098	.041	H4L	.051	.025	.026
B3F	2.133	2.026	.677	H5L	.019	.010	.006
B4F	6.352	7.589	3.197	H6L	.002	.001	.001
B5F	2.763	2.710	1.451	Total HL	.092	.039	.044
B6F	.062	.039	.041	H1F	.001	---	---
Total BF	11.426	12.470	5.412	H2F	.002	.002	.006
B1FR	---	---	---	H3F	.072	.039	.038
B2FR	.003	.005	---	H4F	.358	.283	.190
B3FR	.056	.077	.004	H5F	.260	.199	.099
B4FR	.258	.414	.067	H6F	.008	.004	.005
B5FR	.101	.189	.043	Total HF	.701	.527	.338
B6FR	.005	.006	.004	H4FR	.023	.025	---
Total BFR	.423	.691	.118	H5FR	.017	.027	---
B4R	.001	.005	---	H6FR	.001	.004	---
B5R	.015	.055	.007	Total HFR	.041	.056	---
Total BR	.016	.060	.007	H4K	.160	.283	.082
B3K	.260	.305	.087	H5K	.399	.401	.132
B4K	3.940	4.583	2.744	H6K	.161	.131	.060
B5K	3.449	3.359	3.195	Total HK	.720	.815	.274
B6K	.834	.744	1.135	Total H	1.554	1.437	.656
Total BK	8.483	8.991	7.161	Cutters:			
B3KR	.163	.234	.020	C1L	.003	---	.001
B4KR	.637	1.073	.132	C2L	.020	.004	.008
B5KR	.183	.314	.092	C3L	.192	.055	.104
Total BKR	.983	1.621	.244	C4L	1.283	.883	.687
B3V	.414	.469	.176	C5L	.911	.629	.661
B4V	1.309	1.362	1.173	Total CL	2.409	1.571	1.461
B5V	.344	.268	.350	C1F	---	---	---
Total BV	2.067	2.099	1.699	C2F	.014	.003	.006
B3S	.067	.044	.014	C3F	.129	.110	.102
B4S	.056	.034	.010	C4F	1.531	1.816	1.019
B5S	.002	.003	---	C5F	1.701	1.647	1.357
Total BS	.125	.081	.024	Total CF	3.375	3.576	2.484
B3KL	.548	.220	.086	C4KR	.235	.292	.063
B4KL	1.074	.525	.465	C4V	.777	.631	.616
B5KL	.266	.118	.213	C4S	.100	.048	.037
B6KL	.021	.009	.032	C4KL	.306	.158	.118
Total BKL	1.909	.872	.796	C4KM	2.376	2.886	2.519
B3KF	1.051	.680	.287	C4G	.125	.094	.131
B4KF	6.030	4.874	4.216	C4GK	.369	.350	.432
B5KF	4.378	2.827	6.968	Total C	10.072	9.606	7.861
B6KF	1.003	.575	3.394	Lugs:			
Total BKF	12.462	8.956	14.865	X1L	.024	.011	.003
B4KV	.371	.371	.956	X2L	.114	.085	.040
B5KV	.748	.730	3.102	X3L	1.216	1.261	.604
B6KV	.335	.278	2.324	X4L	1.154	1.472	1.257
Total BKV	1.454	1.379	6.382	X5L	.215	.278	.501
B3KM	2.315	2.546	.836	Total XL	2.723	3.107	2.405
B4KM	7.522	10.488	5.418	X1F	.007	.008	.007
B5KM	2.757	3.066	3.280	X2F	.068	.077	.024
B6KM	.299	.267	.466	X3F	1.101	1.497	.718
Total BKM	12.893	16.367	10.000	X4F	2.820	3.165	2.926

Table 25--Percentage distribution by grades for all flue-cured types, 1978-80 crops--continued

Group and grade	Crop of:			Group and grade	Crop of:		
	1978	1979	1980		1978	1979	1980
X5F	1.271	1.383	2.272	P4G	.537	.534	.888
Total XF	5.267	6.130	5.947	P4G sand	.055	.016	.012
X3KR	.064	.096	.027	P5G	.470	.318	.767
X4KR	.120	.162	.055	P5G sand	.061	.018	.013
Total XKR	.184	.258	.082	Total PG	1.123	.886	1.680
X3V	.523	.639	.383	Total P	8.587	8.536	8.168
X4V	.900	.872	1.253	Mixed:			
Total XV	1.423	1.511	1.636	M4F	.004	---	.003
X3S	.072	.095	.024	M5F	.004	.002	.006
X4KL	.212	.124	.082	Total MF	.008	.002	.009
X4KF	.165	.106	.160	M4KR	.001	---	---
X4KV	.330	.220	1.263	M4KM	.009	.004	.008
X3KM	.817	1.264	.635	M5KM	.013	.013	.021
X4KM	1.677	2.280	2.621	Total MKM	.022	.017	.029
Total XKM	2.494	3.544	3.256	M4GK	.003	.001	.006
X4GK	.826	.814	1.287	M5GK	.005	.001	.005
X4G	.433	.459	.669	Total MGK	.008	.002	.011
X5G	.294	.255	1.050	Total M	.039	.021	.049
Total XG	.727	.714	1.719	Nondescript:			
Total X	14.423	16.623	17.861	N1L	.851	.617	.852
Primings:				N1L sand	.083	.012	.021
P2L	.103	.163	.037	N1XL	.312	.253	.549
P2L sand	.005	.001	---	N1K	.308	.211	.783
P3L	.875	1.098	.535	N1R	.064	.070	.239
P3L sand	.056	.022	.009	N1CL	.622	.438	1.402
P4L	1.545	1.427	1.389	N1CL sand	.063	.015	.014
P4L sand	.143	.039	.053	N1GF	.125	.103	.479
P5L	.670	.420	.461	N1KV	.209	.131	1.685
P5L sand	.081	.013	.019	N1GR	.126	.069	.817
Total PL	3.478	3.183	2.503	N1GG	.015	.015	.018
P2F	.022	.034	.005	N1PO	.655	.498	.433
P2F sand	.001	.001	---	N1PO sand	.116	.033	.011
P3F	.376	.719	.238	N1XO	.348	.284	.265
P3F sand	.033	.016	.005	N1BO	.352	.309	.684
P4F	1.792	2.256	2.181	N2	1.711	1.223	3.076
P4F sand	.155	.052	.063	Total N	5.960	4.281	11.328
P5F	1.472	1.351	1.446	No grade 1/	1.208	1.026	.936
P5F sand	.135	.038	.047	Grand total	100.000	100.000	100.000
Total PF	3.986	4.467	3.985				

1/ Includes tobacco defined as decayed, off-type, nested, unsafe keeping order and unsound. Also, includes grade NOGF sand which totaled 0.014 percent in 1980.

Table 26--Average price by grade group and type for flue-cured tobacco, 1980 and 1979 crops

Type	1980 crop							1979 crop						
	Group							Group						
	B	H	C	X	P	M	N	B	H	C	X	P	M	N
11	156	170	168	154	124	131	96	144	148	151	142	121	135	104
12	155	172	166	150	114	145	105	143	149	149	137	116	124	105
13	151	166	163	147	112	137	101	146	153	148	136	117	141	105
14	154	164	158	145	115	134	106	147	153	150	140	117	135	107
11-14	154	169	165	150	117	137	102	145	149	150	139	118	130	105

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
WASHINGTON, DC 20250



POSTAGE & FEES PAID
United States Department of Agriculture
AGR 101

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
FCR

THIRD CLASS